Revision Date: 06-02-20

I. IDENTIFICATION

Product identification used on label	
Product Name:	APRICOT
Product Identifier:	FRAPR
Recommended Use of the	Fragrance
Chemical and restrictions on use:	U

Company:	P&J TRADING
	1313 CALLE AVANZADO
	SAN CLEMENTE, CA 92673
Emergency Phone	EMERGENCY PHONE: (800) 535-5053
Number:	INFORMATION PHONE: 888-614-2112

IF SWALLOWED CALL YOUR POISON CONTROL CENTER AT 1-800-222-1222

II. HAZARD(S) IDENTIFICATION

Classification of the che GHS Hazard Symbols:	emical in accordance with paragraph (d) of §1910.1200;
GHS Classification:	Hazardous to the aquatic environment - Acute Category 2; Hazardous to the aquatic environment - Chronic Category 2; Flammable Liquid Category 4
GHS Signal Word: GHS Hazard	Warning Cumbustible Liquid; May cause an allergic skin reaction.; Toxic to aquatic life; Toxic to aquatic life with long lasting effects.
GHS Precautions:	
Safety Precautions:	Keep away from heat/sparks/open flames/hot surfaces. – No smoking. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection.
First Aid Measures (Response):	IF ON SKIN: Wash with plenty of soap and water. Specific treatment (see on this label). If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse. In case of fire: Use extinguishing media listed in Section 5 of the SDS to extinguish. Collect spillage.
Storage:	Store in a well-ventilated place. Keep cool.
Disposal:	Dispose of contents/container in accordance with local/regional/national/international regulation for hazardous wastes.

III. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS #	%	
Cyclopenta[g]-2-benzopyran, 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethyl-	1222-05-5	1 - 5	
Cyclohexene, 1-methyl-4-(1-methylethenyl)-, (R)-	5989-27-5	1 - 5	
Benzaldehyde, 3-ethoxy-4-hydroxy-	121-32-4	1 - 5	
3-Octanol, 3,7-dimethyl-	78-69-3	1 - 5	
Octanal, 2-(phenylmethylene)-	101-86-0	0.5 - 1.5	
1,3-Benzodioxole-5-carboxaldehyde	120-57-0	0.1 - 1	
2H-1-Benzopyran-2-one	91-64-5	0.1 - 1	
2-Propenal, 3-phenyl-	104-55-2	0.1 - 1	
Benzoic acid, 2-hydroxy-, phenylmethyl ester	118-58-1	0.1 - 1	
2,6-Octadien-1-ol, 3,7-dimethyl-, (2E)-	106-24-1	0.1 - 1	
6-Octen-1-ol, 3,7-dimethyl-	106-22-9	0.1 - 1	
Phenol, 2-methoxy-4-propyl-	2785-87-7	0.1 - 1	

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret is required.

IV. FIRST-AID MEASURES

Inhalation:	Remove to fresh air. If breathing is difficult, have a trained individual administer oxygen. If not breathing, give artificial respiration and have a trained individual
	administer oxygen. Get medical attention immediately
Eyes:	Flush eyes with plenty of water for at least 20 minutes retracting eyelids often. Tilt
	the head to prevent chemical from transferring to the uncontaminated eye. Get
	immediate medical attention.
Skin Contact:	Wash with soap and water. Remove contaminated clothing and launder. Get
Induction	medical attention if irritation develops or persists. Do not induce vomiting and seek medical attention immediately. Drink two glasses
Ingestion:	of water or milk to dilute. Provide medical care provider with this MSDS.
Most important	of water of think to dilute. From the medical care provider with this modes.
symptoms and effects -	No Data Available
acute	
Most important	
symptoms and effects -	No Data Available
chronic	
Notes to Doctor:	No additional first aid information available
V. FIRE FIGHTING MEASURES	
Flammability Summary:	Combustible
Extinguishing Media:	Use alcohol resistant foam, carbon dioxide, dry chemical, or water
	spray when fighting fires. Water or foam may cause frothing if liquid
	is burning but it still may be a useful extinguishing agent if carefully
	applied to the fire. Do not direct a water stream directly into the hot
	burning liquid.
Extinguishing Media advise	d against: No Data Available
APRICOT	Page 2 of 13

Revision Date: 06-02-20 Vapors may be ignited by sparks, flames or other sources of ignition if material is above the flash point giving rise to a fire (Class B). Vapors are heavier than air and may travel to a source of ignition and flash back. Do not enter fire area without proper protection including self- contained breathing apparatus and full protective equipment. Fight fire from a safe distance and a protected location due to the potential of hazardous vapors and decomposition products. Use
methods for the surrounding fire. Carbon Oxides, Carbon monoxide
No health affects expected from the clean-up of this material if
contact can be avoided. Follow personal protective equipment recommendations found in Section VIII of this MSDS No special spill clean-up considerations. Collect and discard in regular trash.
tions: Mildly irritating material. Avoid unnecessary exposure. As with all chemicals, good industrial hygiene practices should be followed when handling this material. Avoid contact with material, avoid breathing dusts or fumes, use only in a well ventilated area. Wash thoroughly after handling Do not get in eyes, on skin and clothing Use spark-proof tools and explosion-proof equipment Ground and bond containers when transferring material "Empty" containers retain product residue (liquid and/or vapor) and can be dangerous.
 store in a cool dry place. Isolate from incompatible materials. Store in a cool place in original container and protect from sunlight Keep away from heat, sparks, and flame Do not store near combustible materials Keep container closed when not in use strong oxidizing agents Strong bases Acid chlorides Acid anhydrides Strong acids

VIII. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Measures:	No exposure limits exist for the constituents of this product. Use local exhaust ventilation or other engineering controls to minimize exposures and maintain operator comfort. Engineering controls must be designed to meet the OSHA chemical specific standard in 29 CFR 1910. Explosion proof exhaust ventilation should be used. Facilities storing or using this material should be equipped with an eyewash and safety shower. Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits
Respiratory Protection:	Respiratory protection may be required to avoid overexposure when handling this product. General or local exhaust ventilation is the preferred means of protection. Use a respirator if general room ventilation is not available or sufficient to eliminate Page 3 of 13

Revision Date: 06-02-20

Eye Protection:	symptoms. Follow a respiratory protection program that meets 29 CFR 1910.134 and ANSI Z88.2 requirements whenever work place conditions warrant the use of a respirator. Respiratory protection may be required in addition to ventilation depending upon conditions of use. Wear chemically resistant safety glasses with side shields when handling this product. Do not wear contact lenses. Wear goggles and a Face shield
Skin Protection:	Wear protective gloves. Inspect gloves for chemical break-through and replace at regular intervals. Clean protective equipment regularly. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work Where contact is likely, wear chemical resistant gloves, a chemical suit, rubber boots, and chemical safety goggles plus a face shield No information available
Gloves: Handling Instructions:	As with all chemicals, good industrial hygiene practices should be followed when handling this material. Avoid contact with material, avoid breathing dusts or fumes, use only in a well ventilated area. Wash thoroughly after handling Do not get in eyes, on skin and clothing Use spark-proof tools and explosion-proof equipment Ground and bond containers when transferring material "Empty" containers retain product residue (liquid and/or vapor) and can be dangerous.

Control Parameters:			
Chemical Name	ACGIH TLV-TWA	ACGIH STEL	OSHA PEL
No Data Available	5 mg/m3 TWA		No PEL established

IX. PHYSICAL AND CHEMICAL PROPERTIES

Neurical State	liquid
5	Liquid
color:	Very pale yellow
Ddor:	Comparable to Standard
Odor Threshold:	ND
oH:	Not Available
nitial Boiling Point:	327 - 331 º F
lash Point:	175 º F
vaporation Rate:	Not Available
lammability (Solid, Gas):	No Data Available
Jpper Flammable/Explosive Limit:	Not Available
ower Flammable/Explosive Limit:	Not Available
/apor Density:	>1
Relative Density:	1
olubility in Water:	Soluble in water- No
Octanol/Water Partition Coefficient:	8.94 at 25 °C 5.3 3.3 at 20 °C (68 °F) 2.93 at 22 °C (72 °F) 4.686
Auto-ignition Temperature:	259 º C
/olatiles, % by weight:	6.2
/olatiles, % by weight:	6.2
Bulk Density:	126.176

X. STABILITY AND REACTIVITY

Reactivity:
Chemical Stability:
Possibility of Hazardous Reactions:

No Data Available Stable under normal conditions. No Data Available

Conditions to Avoid:	Revision Date: 06-02-20 Temperatures above flash point in combination with sparks, open flames, or other sources of ignition. Direct sources of boot locat flame sparks
Materials to Avoid/Chemical	Incompatibility: heat. Heat flame sparks Strong oxidizing agents Strong bases Acid chlorides Acid anhydrides Strong acids
Hazardous Decomposition Pr	roducts: Carbon Oxides Carbon dioxide Carbon monoxide
XI. TOXICOLOGICAL INFORMAT	ſION
Most Important No Da Symptoms:	ta Available
Chemical Interactions That Ch	ange Toxicity: None Known
mmediate (Acute) Health Effec	
Inhalation Irritation:	Can cause respiratory irritation.
Skin Contact:	Can cause moderate skin irritation, defatting, and dermatitis. Not likely to cause permanent damage. May cause sensitization.
Skin Absorption:	Minimal hazard in normal industrial use. May cause gastrointestinal discomfort
Eye Contact:	Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue.
Ingestion Irritation:	Irritating to mouth, throat, and stomach. Can cause abdominal discomfort, nausea, vomiting and diarrhea.
Ingestion Toxicity:	Harmful if swallowed.
Long-Term (Chronic) Health	Effects:
Carcinogenicity:	None of the substances have been shown to cause cancer in long term animal studies. Not a carcinogen according to NTP, IARC, or OSHA.
Reproductive toxicity:	No data available to indicate product or any components present at greater than 0.1% may cause birth defects.
Germ cell mutagenicity:	No data available to indicate product or any components present at greater than 0.1% is mutagenic or genotoxic.
Inhalation:	Upon prolonged and/or repeated exposure, can cause moderate respiratory irritation, dizziness, weakness, fatigue, nausea and headache.
Skin Contact:	Upon prolonged or repeated contact, can cause moderate skin irritation, defatting, and dermatitis. Not likely to cause permanent damage.
Skin Absorption:	Upon prolonged or repeated exposure, minimal hazard in normal industrial use. May cause gastrointestinal discomfort.

Component Toxicology Data: Chemical Name	CAS Number	LD50/LC50
No data available	103-23-1	
	104-67-6	
	1222-05-5	
	5989-27-5	
	8008-57-9	

Revision Date: 06-02-20

121-32-4 84-66-2 78-69-3 24851-98-7 143-13-5 101-86-0 120-57-0 104-50-7 105-54-4 78-70-6 91-64-5 72869-73-9 106-29-6 7492-70-8 100-52-7 121-33-5 706-14-9 104-55-2 118-58-1 142-92-7 106-24-1 98-55-5 14901-07-6 105-53-3 108-64-5 5413-60-5 140-11-4 104-61-0 93-92-5 628-63-7 106-22-9 18871-14-2 2305-05-7 141-78-6 106-32-1 106-33-2 705-86-2 2785-87-7 112-31-2 105-86-2 25265-71-8 39255-32-8 3681-71-8 102-19-2

Revision Date: 06-02-20

23726-91-2 77-83-8 151-05-3 79-92-5 123-11-5 88-41-5 5392-40-5 115-95-7 8003-31-9 8007-46-3 32210-23-4 80-54-6 103-95-7 89-43-0 586-62-9 111-80-8 1335-46-2 6259-76-3 1365-19-1 8000-29-1 6485-40-1 112-53-8 71-41-0 112-54-9 60-12-8 67707-75-9 928-96-1 67634-00-8 17511-60-3 112-43-6 24720-09-0 68039-49-6 10094-34-5 104-62-1 68901-15-5 8006-81-3 4940-11-8 65443-14-3 107-92-6 65405-77-8 51566-62-2 119-53-9 18172-67-3 119-36-8

Revision Date: 06-02-20

91770-14-8 103-60-6 8015-90-5 59323-76-1 77-90-7 38462-22-5 103-37-7

Has the chemical been classified as a Carcinogen by NTP, IARC or OSHA.

Chemical Name	OSHA Carcinogen	IARC Carcinogen	NTP Carcinogen
No Data Available			

XII. ECOLOGICAL INFORMATION

Overview:	This material is not expected to be harmful to the ecology.			
Mobility in Soil:	No Data Available		05	
Persistence:	No Data Available			
Bioaccumulation:	No Data Available			
Other adverse effects	No Data Available			
Ecotoxicity Data				
Chemical Name	CAS Number	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish
No Data Available	103-23-1		5	
	104-67-6			
	1222-05-5			
	5989-27-5			
	8008-57-9			
	121-32-4			
	84-66-2			
	78-69-3			
	24851-98-7			
	143-13-5			
	101-86-0			
	120-57-0			
	104-50-7			
	105-54-4			
	78-70-6			
	91-64-5			
	72869-73-9			
	106-29-6			
	7492-70-8			
	100-52-7			
	121-33-5			
	706-14-9			
	104-55-2			
	118-58-1			
APRICOT			Page	e 8 of 13

Revision Date: 06-02-20

142-92-7 106-24-1 98-55-5 14901-07-6 105-53-3 108-64-5 5413-60-5 140-11-4 104-61-0 93-92-5 628-63-7 106-22-9 18871-14-2 2305-05-7 141-78-6 106-32-1 106-33-2 705-86-2 2785-87-7 112-31-2 105-86-2 25265-71-8 39255-32-8 3681-71-8 102-19-2 23726-91-2 77-83-8 151-05-3 79-92-5 123-11-5 88-41-5 5392-40-5 115-95-7 8003-31-9 8007-46-3 32210-23-4 80-54-6 103-95-7 89-43-0 586-62-9 111-80-8 1335-46-2 6259-76-3 1365-19-1 8000-29-1 6485-40-1 112-53-8 71-41-0 112-54-9

Revision Date: 06-02-20

60-12-8 67707-75-9 928-96-1 67634-00-8 17511-60-3 112-43-6 24720-09-0 68039-49-6 10094-34-5 104-62-1 68901-15-5 8006-81-3 4940-11-8 65443-14-3 107-92-6 65405-77-8 51566-62-2 119-53-9 18172-67-3 119-36-8 91770-14-8 103-60-6 8015-90-5 59323-76-1 77-90-7 38462-22-5 103-37-7

XIII. DISPOSAL CONSIDERATIONS

Waste Description for Spent Product: Waste Description for Empty Packaging:	Spent or discarded material may be a hazardous waste. No Data Available
Disposal Methods:	DO NOT DUMP INTO ANY SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER. All disposal practices must be in compliance with all Federal, State/Provincial and local laws and regulations. Regulations may vary in different locations. Waste characterizations and compliance with applicable laws are the sole responsibility of the waste generator. As your supplier, we have no control over the management practices or manufacturing processes of parties handling or using this material. The information presented here pertains only to the product when used as intended, according to this MSDS. For unused and uncontaminated product, the preferred options include sending to a licensed and permitted incinerator or other thermal destruction device. Various federal, state or provincial agencies may have specific regulations concerning the transportation, handling, storage, use or disposal of this product which may not be covered in this MSDS. The

Revision Date: 06-02-20

user shall have to review these regulations to ensure full compliance with all applicable regulations.

XIV. TRANSPORTATION INFORMATION

US DOT Ground Shipping Description:	Not Restricted
IATA Shipping Description:	Not Restricted
IMDG Shipping Description:	Not Restricted

XV. REGULATORY INFORMATION

TSCA Status All components in this product are on the TSCA Inventory.

Chemical Name	CAS #	Regulation	% Range
No 313-listed chemicals in this product	103-23-1	SARA 313	40 - 70
, i	104-67-6		5 - 10
	1222-05-5		1 - 5
	5989-27-5		0.5 - 1.5
	8008-57-9		0.1 - 1
	121-32-4		0.01 - 0.1
	84-66-2		0.001- 0.01
	78-69-3		
	24851-98-7		
	143-13-5		
	101-86-0		
	120-57-0		
	104-50-7		
	105-54-4		
	78-70-6		
	91-64-5		
	72869-73-9		
	106-29-6		
	7492-70-8		
	100-52-7		
	121-33-5		
	706-14-9		
	104-55-2		
	118-58-1		
	142-92-7		
	106-24-1		
	98-55-5		
	14901-07-6		
	105-53-3		
	108-64-5		
	5413-60-5		
	140-11-4		
	104-61-0		
	93-92-5		
	628-63-7		
	106-22-9		
			D 11 010

Revision Date: 06-02-20

18871-14-2 2305-05-7 141-78-6 106-32-1 106-33-2 705-86-2 2785-87-7 112-31-2 105-86-2 25265-71-8 39255-32-8 3681-71-8 102-19-2 23726-91-2 77-83-8 151-05-3 79-92-5 123-11-5 88-41-5 5392-40-5 115-95-7 8003-31-9 8007-46-3 32210-23-4 80-54-6 103-95-7 89-43-0 586-62-9 111-80-8 1335-46-2 6259-76-3 1365-19-1 8000-29-1 6485-40-1 112-53-8 71-41-0 112-54-9 60-12-8 67707-75-9 928-96-1 67634-00-8 17511-60-3 112-43-6 24720-09-0 68039-49-6 10094-34-5 104-62-1 68901-15-5 8006-81-3

Revision Date: 06-02-20

4940-11-8 65443-14-3 107-92-6 65405-77-8 51566-62-2 119-53-9 18172-67-3 119-36-8 91770-14-8 103-60-6 8015-90-5 59323-76-1 77-90-7 38462-22-5 103-37-7

XVI. OTHER INFORMATION

Revision Date: Disclaimer: 06-02-2020 Important: While the descriptions, data and information contained herein are presented in good faith and believed to be accurate, it is provided for your guidance only. Because many factors may affect processing or application/use, we recommend that you perform an assessment to determine the suitability of the product for your particular purpose prior to use. Nothing herein should be interpreted as a recommendation to infringe existing patents or violate any laws or regulations. No warranties of any kind, either expressed or implied,

including fitness for a particular purpose are made regarding the product described. We assume NO responsibility for any injuries resulting from misuse or misapplication of this product or that might be sustained because of inhalation, ingestion, absorption or other contact with this product. In no case shall the descriptions, information, or data provided be considered a part of our terms and conditions of sale. Further, the descriptions, data and information furnished hereunder are given gratis. No obligation or liability for the description, data and information given are assumed. All such being given and accepted at your risk.