Revision Date: 09-11-20

I. IDENTIFICATION

Product identification used on label

Chemical and restrictions on use:

Product Name:FOREST PINEProduct Identifier:FRFOPRecommended Use of theFragrance

1313 CALLE AVANZADO SAN CLEMENTE, CA 92673

P&J TRADING

Emergency Phone

Number:

Company:

EMERGENCY PHONE: (800) 535-5053 INFORMATION PHONE: (888) 614-2112 IF SWALLOWED CALL YOUR POISON CONTROL CENTER AT 1-800-222-1222

II. HAZARD(S) IDENTIFICATION

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

GHS Hazard Symbols:







GHS Classification: Skin Sensitisation Category 1; Reproductive Toxicity Category 2; Hazardous to the aquatic environment -

Acute Category 2; Hazardous to the aquatic environment - Chronic Category 2

GHS Signal Word: Warning

GHS Hazard May cause an allergic skin reaction.; Suspected of damaging fertility or the unborn child.; Toxic to

aquatic life..; Toxic to aquatic life with long lasting effects.

GHS Precautions:

Safety Precautions: Obtain special instructions before use. Do not handle until all safety precautions have been read and

understood. Contaminated work clothing should not be allowed out of the workplace. Avoid release to

the environment. Wear protective gloves/protective clothing/eye protection/face protection.

First Aid Measures (Response):

IF ON SKIN: Wash with plenty of soap and water. IF exposed or concerned: Get medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.

Collect spillage.

Storage: Store locked up.

Disposal: Dispose of contents/container in accordance with local/regional/national/international regulation for

hazardous wastes.

FOREST PINE Page 1 of 7

Revision Date: 09-11-20

III. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS#	%
Bicyclo[2.2.1]heptan-2-ol, 1,7,7-trimethyl-, 2-acetate, (1R,2R,4R)-rel-	125-12-2	30 - 60
Terpenes and Terpenoids, cedarwood-oil	68608-32-2	3 - 7
Benzenepropanal, 4-(1,1-dimethylethyl)alphamethyl-	80-54-6	0.5 - 1.5
Pinus spp. (Pinaceae)	8006-64-2	0.5 - 1.5
4H-Pyran-4-one, 2-ethyl-3-hydroxy-	4940-11-8	0.5 - 1.5
3-Cyclohexene-1-carboxaldehyde, 2,4-dimethyl-	68039-49-6	0.1 - 1
Bicyclo[3.1.1]heptane, 6,6-dimethyl-2-methylene-, (1S,5S)-	18172-67-3	0.1 - 1

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret is required.

IV. FIRST-AID MEASURES

Inhalation:	Remove to fresh air. If	f breathing is difficult.	have a trained individual administer

oxygen. If not breathing, give artificial respiration and have a trained individual

administer oxygen. Get medical attention immediately

Flush eyes with plenty of water for at least 20 minutes retracting eyelids often. Tilt Eyes:

the head to prevent chemical from transferring to the uncontaminated eye. Get

immediate medical attention.

Skin Contact: Wash with soap and water. Remove contaminated clothing and launder. Get

medical attention if irritation develops or persists.

Do not induce vomiting and seek medical attention immediately. Drink two glasses Ingestion:

of water or milk to dilute. Provide medical care provider with this MSDS.

Most important

symptoms and effects -

acute

No Data Available

chronic

Most important

symptoms and effects -

No Data Available

Notes to Doctor:

No additional first aid information available

V. FIRE FIGHTING MEASURES

Flammability Summary:	Combustible at elevated temperatures
-----------------------	--------------------------------------

Extinguishing Media: Use alcohol resistant foam, carbon dioxide, or dry chemical

extinguishing agents. Water may be ineffective but water spray can be used extinguish a fire if swept across the base of the flames. Water can absorb heat and keep exposed material from being

damaged by fire.

Extinguishing Media advised against:

Fire and/or Explosion Hazards:

No Data Available

Vapors may be ignited by sparks, flames or other sources of ignition if material is above the flash point giving rise to a fire (Class B).

Vapors are heavier than air and may travel to a source of ignition and

flash back.

Fire Fighting Methods and Protection: Do not enter fire area without proper protection including self-

FOREST PINE Page 2 of 7

Revision Date: 09-11-20

contained breathing apparatus and full protective equipment. Fight fire from a safe distance and a protected location due to the potential of hazardous vapors and decomposition products. Use

methods for the surrounding fire.

Carbon Oxides

VI. ACCIDENTAL RELEASE MEASURES

Hazardous Combustion Products:

Personal Precautions and Equipment: No health affects expected from the clean-up of this material if

contact can be avoided. Follow personal protective equipment

recommendations found in Section VIII of this MSDS

Methods for Clean-up: No special spill clean-up considerations. Collect and discard in regular

trash.

VII. HANDLING AND STORAGE

Handling Technical Measures and Precautions: Mildly irritating material. Avoid unnecessary exposure. As

with all chemicals, good industrial hygiene practices should be followed when handling this material. Avoid contact with material, avoid breathing dusts or fumes, use only in a well ventilated area. Wash thoroughly after handling Do not get in eyes, on skin and clothing "Empty" containers retain product

residue (liquid and/or vapor) and can be dangerous.

Storage Technical Measures and Conditions: Store in a cool dry place. Isolate from incompatible materials.

Store in a cool dry place Store in a tightly closed container

Keep away from heat, sparks, and flame

Materials to Avoid/Chemical Incompatibility: Strong oxidizing agents Chlorine

VIII. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Measures: No exposure limits exist for the constituents of this product. Use local exhaust

ventilation or other engineering controls to minimize exposures and maintain operator comfort. Engineering controls must be designed to meet the OSHA chemical specific standard in 29 CFR 1910. Ventilation is required to maintain operator exposure below published exposure limits. Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits Facilities storing or using this material should be equipped with an eyewash and safety shower. Explosion proof exhaust ventilation

should be used.

Respiratory Protection: Respiratory protection may be required to avoid overexposure when handling this

product. General or local exhaust ventilation is the preferred means of protection. Use a respirator if general room ventilation is not available or sufficient to eliminate symptoms. Follow a respiratory protection program that meets 29 CFR 1910.134 and ANSI Z88.2 requirements whenever work place conditions warrant the use of a

respirator. Wear a NIOSH approved respirator if any exposure is possible.

Eye Protection: Wear chemically resistant safety glasses with side shields when handling this product.

Do not wear contact lenses. Wear goggles and a Face shield

Skin Protection: Wear protective gloves. Inspect gloves for chemical break-through and replace at

regular intervals. Clean protective equipment regularly. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving

FOREST PINE Page 3 of 7

Revision Date: 09-11-20

work Where contact is likely, wear chemical resistant gloves, a chemical suit, rubber

boots, and chemical safety goggles plus a face shield

No information available

Handling Instructions: As with all chemicals, good industrial hygiene practices should be followed when

handling this material. Avoid contact with material, avoid breathing dusts or fumes, use only in a well ventilated area. Wash thoroughly after handling Do not get in eyes, on skin and clothing "Empty" containers retain product residue (liquid and/or vapor)

and can be dangerous.

Control Parameters:

Gloves:

Chemical Name ACGIH TLV-TWA ACGIH STEL OSHA PEL Pinus spp. (Pinaceae) 100 ppm TWA; 556 mg/m3 100 ppm TWA; 560 TWA

mg/m3 TWA

IX. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid Color: Clear

Odor: Comparable to Standard

Odor Threshold: ND

Not Available :Ha **Initial Boiling Point:** 444 - 451 º F Flash Point: > 200 º F **Evaporation Rate:** Not Available Flammability (Solid, Gas): No Data Available **Upper Flammable/Explosive Limit:** Not Available Lower Flammable/Explosive Limit: Not Available

Vapor Density: > 1 Relative Density (Specific Gravity): 0.9487

Solubility in Water: Soluble in water- No **Octanol/Water Partition Coefficient:** 8.94 at 25 °C 3.86 4.3

Decomposition Temperature: 215 Volatiles, % by weight: 2.1 **Bulk Density:** 7.919

X. STABILITY AND REACTIVITY

No Data Available Reactivity:

Chemical Stability: Stable under normal conditions.

Possibility of Hazardous Reactions: No Data Available

Conditions to Avoid: Temperatures above the high flash point of this combustible

material in combination with sparks, open flames, or other sources of ignition. Heat flame sparks Contamination

Strong oxidizing agents Chlorine Materials to Avoid/Chemical Incompatibility:

Hazardous Decomposition Products: Carbon Oxides

XI. TOXICOLOGICAL INFORMATION

Inhalation, Ingestion, Skin contact, Eye contact Routes of Entry:

Most Important No Data Available

Symptoms:

FOREST PINE Page 4 of 7

Revision Date: 09-11-20

Target Organs Potentially Affected by Exposure:

Eyes, Pancreas, Nervous System, Respiratory Tract, Skin

Chemical Interactions That Change Toxicity:

None Known

Medical Conditions Aggravated by Exposure:

None Known
Eye disease, Respiratory disease including asthma and bronchitis, Skin dis

including eczema and sensitization

Immediate (Acute) Health Effects by Route of Exposure:

Inhalation Irritation: Can cause respiratory irritation.

Inhalation Toxicity: Can cause systemic damage (see "Target Organs)

Skin Contact: Can cause moderate skin irritation, defatting, and dermatitis. Not likely to cause

permanent damage.

Eye Contact: Can cause moderate irritation, tearing and reddening, but not likely to permanently

injure eye tissue.

Ingestion Irritation: Irritating to mouth, throat, and stomach. Can cause abdominal discomfort, nausea,

vomiting and diarrhea.

Ingestion Toxicity: Harmful if swallowed.

Long-Term (Chronic) Health Effects:

Carcinogenicity:None of the substances have been shown to cause cancer in long term animal

studies. Not a carcinogen according to NTP, IARC, or OSHA.

Reproductive toxicity:No data available to indicate product or any components present at greater than

0.1% may cause birth defects.

Germ cell mutagenicity:No data available to indicate product or any components present at greater than

0.1% is mutagenic or genotoxic.

Inhalation: Upon prolonged and/or repeated exposure, can cause moderate respiratory

irritation, dizziness, weakness, fatigue, nausea and headache. Harmful! Can cause systemic damage upon prolonged and/or repeated exposure (see "Target Organs)

Skin Contact: Upon prolonged or repeated contact, can cause moderate skin irritation, defatting,

and dermatitis. Not likely to cause permanent damage.

Component Toxicology Data:

Chemical Name CAS Number LD50/LC50

No data available

Has the chemical been classified as a Carcinogen by NTP, IARC or OSHA.

Chemical Name	OSHA Carcinogen	IARC Carcinogen	NTP Carcinogen
No Data Available			

XII. ECOLOGICAL INFORMATION

Overview: This material is not expected to be harmful to the ecology.

Mobility in Soil:No Data AvailablePersistence:No Data AvailableBioaccumulation:No Data AvailableOther adverse effectsNo Data Available

FOREST PINE Page 5 of 7

Revision Date: 09-11-20

Ecotoxicity Data

Chemical Name CAS Number Aquatic ERC50 Aquatic EC50 Aquatic LC50 Fish Crustacea Algae

No Data Available

XIII. DISPOSAL CONSIDERATIONS

Waste Description for Spent Product: Waste Description for Empty

Packaging:

Spent or discarded material is not expected to be a hazardous waste.

No Data Available

DO NOT DUMP INTO ANY SEWERS, ON THE GROUND, OR INTO ANY **Disposal Methods:**

> BODY OF WATER. All disposal practices must be in compliance with all Federal, State/Provincial and local laws and regulations. Regulations

may vary in different locations. Waste characterizations and

compliance with applicable laws are the sole responsibility of the waste generator. As your supplier, we have no control over the management practices or manufacturing processes of parties handling or using this material. The information presented here pertains only to the product when used as intended, according to this MSDS. For unused and uncontaminated product, the preferred options include sending to a licensed and permitted incinerator or other thermal destruction device.

Various federal, state or provincial agencies may have specific regulations concerning the transportation, handling, storage, use or disposal of this product which may not be covered in this MSDS. The user shall have to review these regulations to ensure full compliance

with all applicable regulations.

XIV. TRANSPORTATION INFORMATION

US DOT Ground Shipping Description: Not Restricted IATA Shipping Description: Not Restricted IMDG Shipping Description: Not Restricted

XV. REGULATORY INFORMATION

TSCA Status All components in this product are on the TSCA Inventory.

California Prop 65 Does not contain any chemicals listed on California Proposition 65.

Chemical Name CAS# Regulation % Range

No 313-listed chemicals in this product **SARA 313**

XVI. OTHER INFORMATION

Revision Date: 09-11-2020

Disclaimer:

Important: While the descriptions, data and information contained herein are presented in good faith and believed to be accurate, it is provided for your guidance only. Because many factors may affect processing or application/use, we recommend that you perform an assessment to determine the suitability of the product for your particular purpose prior to use.

FOREST PINE Page 6 of 7

Revision Date: 09-11-20

Nothing herein should be interpreted as a recommendation to infringe existing patents or violate any laws or regulations. No warranties of any kind, either expressed or implied,

including fitness for a particular purpose are made regarding the product described. We assume NO responsibility for any injuries resulting from misuse or misapplication of this product or that might be sustained because of inhalation, ingestion, absorption or other contact with this product. In no case shall the descriptions, information, or data provided be considered a part of our terms and conditions of sale. Further, the descriptions, data and information furnished hereunder are given gratis. No obligation or liability for the description, data and information given are assumed. All such being given and accepted at your risk.

FOREST PINE Page 7 of 7

Revision Date: 09-11-20

I. IDENTIFICATION

Product identification used on label

Product Name: BAMBOO
Product Identifier: FRBAM
Recommended Use of the Fragrance

Chemical and restrictions on use:

Company: P&J TRADING

1313 CALLE AVANZADO SAN CLEMENTE, CA 92673

Emergency Phone

EMERGENCY PHONE: (800) 535-5053 INFORMATION PHONE: (888)614-2112

Number:

IF SWALLOWED CALL YOUR POISON CONTROL CENTER AT 1-800-222-1222

II. HAZARD(S) IDENTIFICATION

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

GHS Hazard Symbols:







GHS Classification: Skin Corrosion/Irritation Category 2; Serious Eye Damage/Eye Irritation Category 2A; Reproductive

Toxicity Category 2; Hazardous to the aquatic environment - Acute Category 2; Hazardous to the aquatic

environment - Chronic Category 2

GHS Signal Word: Warning

GHS Hazard Causes skin irritation.; May cause an allergic skin reaction.; Causes serious eye irritation.; Suspected of

damaging fertility or the unborn child.; Toxic to aquatic life...; Toxic to aquatic life with long lasting effects.

GHS Precautions:

Safety Precautions: Obtain special instructions before use. Do not handle until all safety precautions have been read and

understood. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wear protective gloves/protective clothing/eye

protection/face protection.

First Aid Measures (Response):

IF ON SKIN: Wash with plenty of soap and water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical advice/attention. If skin irritation occurs: Get medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash before reuse. Wash contaminated clothing before reuse. Collect

BAMBOO Page 1 of 7

Revision Date: 09-11-20

spillage.

Storage: Store locked up.

Disposal: Dispose of contents/container in accordance with local/regional/national/international regulation for

hazardous wastes.

III. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS#	%	
2-Phenylethanol	60-12-8	7 - 15	
Acetic acid, phenylmethyl ester	140-11-4	7 - 15	
3-Cyclohexene-1-methanol, .alpha.,.alpha.,4-trimethyl-	98-55-5	5 - 10	
1,6-Octadien-3-ol, 3,7-dimethyl-	78-70-6	5 - 10	
Octanal, 2-(phenylmethylene)-	101-86-0	5 - 10	
Benzoic acid, 2-hydroxy-, pentyl ester	2050-08-0	3 - 7	
2,6-di-t-Butyl-p-cresol	128-37-0	1 - 5	
3-Cyclohexene-1-carboxaldehyde, 2,4-dimethyl-	68039-49-6	1 - 5	
Ethanone, 1-(2-naphthalenyl)-	93-08-3	1 - 5	
4,5,6-Trimethylcyclohex-3-ene-1-carbaldehyde	1335-66-6	0.5 - 1.5	
Benzeneacetaldehyde	122-78-1	0.1 - 1	
Benzenepropanal, .alphamethyl-4-(1-methylethyl)-	103-95-7	0.1 - 1	
2-Propen-1-ol, 3-phenyl-	104-54-1	0.1 - 1	
3-Cyclohexene-1-carboxaldehyde, 4-(4-hydroxy-4-methylpentyl)-	31906-04-4	0.1 - 1	
Benzenepropanal, 4-(1,1-dimethylethyl)alphamethyl-	80-54-6	0.1 - 1	
2,6-Octadien-1-ol, 3,7-dimethyl-, (2E)-	106-24-1	0.1 - 1	
6-Octen-1-ol, 3,7-dimethyl-	106-22-9	0.1 - 1	
Phenol, 2-methoxy-4-(1-propen-1-yl)-	97-54-1	0.1 - 1	
Benzeneacetaldehyde, .alphamethyl-	93-53-8	0.1 - 1	
Bicyclo[3.1.1]heptane, 6,6-dimethyl-2-methylene-, (1S,5S)-	18172-67-3	0.1 - 1	
2,6-Octadien-1-ol, 3,7-dimethyl-, (2Z)-	106-25-2	0.1 - 1	

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret is required.

IV. FIRST-AID MEASURES

Inhalation:	Remove to fresh air. If breathing is difficult, have a trained individual administer oxygen. If not breathing, give artificial respiration and have a trained individual
_	administer oxygen. Get medical attention immediately
Eyes:	Immediately flush eyes with plenty of water for at least 20 minutes retracting
	eyelids often. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Get immediate medical attention and monitor the eye daily
	as advised by your physician.
Skin Contact:	Wash with soap and water. Remove contaminated clothing and launder. Get medical attention if irritation develops or persists.
Ingestion:	Do not induce vomiting and seek medical attention immediately. Drink two glasses of water or milk to dilute. Provide medical care provider with this MSDS. Induce
	vomiting as a last measure. Induced vomiting may lead to aspiration of the material
	into the lungs potentially causing chemical pneumonitis.

Page 2 of 7

Revision Date: 09-11-20

Most important

symptoms and effects -

No Data Available

acute

Most important

symptoms and effects -

No Data Available

chronic

Notes to Doctor: No additional first aid information available

V. FIRE FIGHTING MEASURES

Flammability Summary: Combustible at elevated temperatures

Extinguishing Media: Use alcohol resistant foam, carbon dioxide, dry chemical, or water

spray when fighting fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the fire. Do not direct a water stream directly into the hot

burning liquid.

Extinguishing Media advised against: No Data Available

Fire and/or Explosion Hazards: Material may be ignited if preheated to temperatures above the flash

point in the presence of a source of ignition. Combustible Liquid. Can form explosive mixtures at temperatures at or above the flash point. Empty containers that retain product residue (liquid, solid/sludge, or vapor) can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose container to heat, flame, sparks, static

drill, grind, or expose container to heat, flame, sparks, static electricity, or other sources of ignition. Any of these actions can potentially cause an explosion that may lead to injury or death. Do not enter fire area without proper protection including self-

contained breathing apparatus and full protective equipment. Fight fire from a safe distance and a protected location due to the potential of hazardous vapors and decomposition products. Use

methods for the surrounding fire.

Hazardous Combustion Products: Carbon Oxides, Carbon dioxide, Carbon monoxide, Toxic fumes., Toxic

gases, nitrogen oxides (NOx)

VI. ACCIDENTAL RELEASE MEASURES

Fire Fighting Methods and Protection:

Personal Precautions and Equipment: No health affects expected from the clean-up of this material if

contact can be avoided. Follow personal protective equipment

recommendations found in Section VIII of this MSDS

Methods for Clean-up:No special spill clean-up considerations. Collect and discard in regular

trash.

VII. HANDLING AND STORAGE

Handling Technical Measures and Precautions: Mildly irritating material. Avoid unnecessary exposure. As

with all chemicals, good industrial hygiene practices should be followed when handling this material. Avoid contact with material, avoid breathing dusts or fumes, use only in a well ventilated area. Do not get in eyes, on skin and clothing Use with adequate ventilation "Empty" containers retain product residue (liquid and/or vapor) and can be dangerous. Wash

thoroughly after handling

BAMBOO Page 3 of 7

Revision Date: 09-11-20 Storage Technical Measures and Conditions: Store in a cool dry place. Isolate from incompatible materials. Limit quantity of

material stored. Store in a tightly closed container Store in a cool dry place Keep away from heat, sparks, and flame Store in a cool place in original container and protect from sunlight Keep container closed when not in use

Keep away from food and drinking water.

Materials to Avoid/Chemical Incompatibility: Strong oxidizing agents Acids Bases Reducing agents Strong bases Acetic

anhydride Chlorinated compounds Metals Caustics (bases) Strong reducing

agents

VIII. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Measures: No exposure limits exist for the constituents of this product. Use local exhaust

ventilation or other engineering controls to minimize exposures and maintain operator comfort. Engineering controls must be designed to meet the OSHA chemical specific standard in 29 CFR 1910. Engineering controls must be designed to control vapor concentrations to below levels published in 29 CFR 1910.1000. Facilities storing or using this material should be equipped with an eyewash and safety shower. Use process enclosures, local exhaust ventilation, or other engineering controls to control

airborne levels below recommended exposure limits

Respiratory Protection: Respiratory protection may be required to avoid overexposure when handling this

product. General or local exhaust ventilation is the preferred means of protection. Use a respirator if general room ventilation is not available or sufficient to eliminate symptoms. Follow a respiratory protection program that meets 29 CFR 1910.134 and ANSI Z88.2 requirements whenever work place conditions warrant the use of a respirator. A supplied air type respiratory will be required. Respiratory protection may

be required in addition to ventilation depending upon conditions of use.

Eye Protection: Wear chemically resistant safety glasses with side shields when handling this product.

Wear additional eye protection such as chemical splash goggles and/or face shield when the possibility exists for eye contact with splashing or spraying liquid, or airborne material. Do not wear contact lenses. Have an eye wash station available.

Wear goggles and a Face shield

Skin Protection: Wear protective gloves. Inspect gloves for chemical break-through and replace at

regular intervals. Clean protective equipment regularly. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work. Where contact is likely, wear chemical resistant gloves, a chemical suit, rubber

boots, and chemical safety goggles plus a face shield

Gloves: No information available

Handling Instructions: As with all chemicals, good industrial hygiene practices should be followed when

handling this material. Avoid contact with material, avoid breathing dusts or fumes, use only in a well ventilated area. Do not get in eyes, on skin and clothing Use with adequate ventilation "Empty" containers retain product residue (liquid and/or vapor)

and can be dangerous. Wash thoroughly after handling

Control Parameters:

No Data Available

Chemical Name ACGIH TLV-TWA ACGIH STEL OSHA PEL

BAMBOO Page 4 of 7

IX. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid Color: Clear

Odor: Comparable to Standard

Odor Threshold: ND

:Ha Not Available Melting Point/Freezing Point: -60 º F **Initial Boiling Point:** 345 - 349 º F Flash Point: > 200 º F **Evaporation Rate:** Not Available Flammability (Solid, Gas): No Data Available **Upper Flammable/Explosive Limit:** Not Available Lower Flammable/Explosive Limit: Not Available

Vapor Density: > 1
Relative Density (Specific Gravity): 0.9678

Solubility in Water: Soluble in water- No

Octanol/Water Partition Coefficient: 8.94 at 25 °C log Kow = 2.98 3.1 4.686

Volatiles, % by weight: 18.31 Bulk Density: 8.078

X. STABILITY AND REACTIVITY

Reactivity:No Data Available

Chemical Stability: Stable under normal conditions.

Possibility of Hazardous Reactions: No Data Available

Conditions to Avoid:Temperatures above the high flash point of this combustible

material in combination with sparks, open flames, or other sources of ignition. Contamination Elevated temperatures Heat flame sparks Extremes of temperature direct sunlight

Visible light

Materials to Avoid/Chemical Incompatibility: Strong oxidizing agents Acids Bases Reducing agents Strong

bases Acetic anhydride Chlorinated compounds Metals

Caustics (bases) Strong reducing agents

Hazardous Decomposition Products: Carbon Oxides Carbon dioxide Carbon monoxide Toxic fumes.

Toxic gases nitrogen oxides (NOx)

XI. TOXICOLOGICAL INFORMATION

Routes of Entry: Skin contact, Eye contact
Most Important No Data Available

Symptoms:

Chemical Interactions That Change Toxicity: No chemical interaction known to affect toxicity.

Immediate (Acute) Health Effects by Route of Exposure:

Inhalation Irritation: Can cause respiratory irritation.

Skin Contact: Can cause moderate skin irritation, defatting, and dermatitis. Not likely to cause

permanent damage.

Skin Absorption: No absorption hazard in normal industrial use.

Eye Contact: Contact with the eyes may cause moderate to severe eye injury. Eye contact may

BAMBOO Page 5 of 7

Revision Date: 09-11-20

Revision Date: 09-11-20

result in tearing and reddening, but not likely to permanently injure eye tissue.

Temporary vision impairment (cloudy or blurred vision) is possible.

Ingestion Irritation: Irritating to mouth, throat, and stomach. Can cause abdominal discomfort, nausea,

vomiting and diarrhea. Aspiration of material into the lungs can cause chemical

pneumonitis.

Ingestion Toxicity: Harmful if swallowed.

Long-Term (Chronic) Health Effects:

Carcinogenicity: None of the substances have been shown to cause cancer in long term animal

studies. Not a carcinogen according to NTP, IARC, or OSHA.

Reproductive toxicity:No data available to indicate product or any components present at greater than

0.1% may cause birth defects. Possible reproductive hazard.

Germ cell mutagenicity: No data available to indicate product or any components present at greater than

0.1% is mutagenic or genotoxic.

Inhalation: Upon prolonged and/or repeated exposure, can cause moderate respiratory

irritation, dizziness, weakness, fatigue, nausea and headache. Harmful! Can cause systemic damage upon prolonged and/or repeated exposure (see "Target Organs)

Lipon prolonged or repeated contact, can cause moderate skin irritation, defatting

Skin Contact: Upon prolonged or repeated contact, can cause moderate skin irritation, defatting,

and dermatitis. Not likely to cause permanent damage.

Skin Absorption: Upon prolonged or repeated exposure, no hazard in normal industrial use.

Component Toxicology Data:

Chemical Name CAS Number LD50/LC50

No data available

Has the chemical been classified as a Carcinogen by NTP, IARC or OSHA.

•	Chemical Name	OSHA Carcinogen	IARC Carcinogen	NTP Carcinogen
	No Data Available			

XII. ECOLOGICAL INFORMATION

Overview: This material is not expected to be harmful to the ecology.

Mobility in Soil:No Data AvailablePersistence:No Data AvailableBioaccumulation:No Data AvailableOther adverse effectsNo Data Available

Ecotoxicity Data

Chemical Name CAS Number Aquatic EC50 Aquatic ERC50 Aquatic LC50 Fish

Crustacea Algae

No Data Available

XIII. DISPOSAL CONSIDERATIONS

BAMBOO Page 6 of 7

Revision Date: 09-11-20

Waste Description for Spent Product: Waste Description for Empty

Packaging:

Spent or discarded material is not expected to be a hazardous waste.

No Data Available

Disposal Methods:

DO NOT DUMP INTO ANY SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER. All disposal practices must be in compliance with all Federal, State/Provincial and local laws and regulations. Regulations may vary in different locations. Waste characterizations and compliance with applicable laws are the sole responsibility of the waste generator. As your supplier, we have no control over the management practices or manufacturing processes of parties handling or using this material. The information presented here pertains only to the product when used as intended, according to this MSDS. For unused and uncontaminated product, the preferred options include sending to a licensed and permitted incinerator or other thermal destruction device. Various federal, state or provincial agencies may have specific regulations concerning the transportation, handling, storage, use or disposal of this product which may not be covered in this MSDS. The user shall have to review these regulations to ensure full compliance with all applicable regulations.

XIV. TRANSPORTATION INFORMATION

US DOT Ground Shipping Description:

IATA Shipping Description:

IMDG Shipping Description:

Not Restricted

Not Restricted

XV. REGULATORY INFORMATION

TSCA Status All components in this product are on the TSCA Inventory.

California Prop 65 Does not contain any chemicals listed on California Proposition 65.

Chemical Name CAS # Regulation % Range

No 313-listed chemicals in this product SARA 313

XVI. OTHER INFORMATION

Revision Date: 09-11-2020

Disclaimer:

Important: While the descriptions, data and information contained herein are presented in good faith and believed to be accurate, it is provided for your guidance only. Because many factors may affect processing or application/use, we recommend that you perform an assessment to determine the suitability of the product for your particular purpose prior to use. Nothing herein should be interpreted as a recommendation to infringe existing patents or violate any laws or regulations. No warranties of any kind, either expressed or implied, including fitness for a particular purpose are made regarding the product described. We assume NO responsibility for any injuries resulting from misuse or misapplication of this product or that might be sustained because of inhalation, ingestion, absorption or other contact with this product. In no case shall the descriptions, information, or data provided be considered a part of our terms and conditions of sale. Further, the descriptions, data and information furnished hereunder are given gratis. No obligation or liability for the description, data and information given are assumed. All such being given and accepted at your risk.

BAMBOO Page 7 of 7

Product Name: CEDAR
Product identifier: FRCED
Revision Date: 10-09-2020

Replaces:

1. Identification

Product identifier used on the label:

Product Name: CEDAR Product identifier: FRCED

Other means of identification

No Data Available

Synonyms:

Fragrance

Recommended use of the chemical and restrictions on

use:

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Chemical Manufacturer / P&J TRADING

Importer / Distributor: 1313 CALLE AVANZADO SAN CLEMENTE, CA 92673

EMERGENCY PHONE: (800) 535-5053

Emergency phone number: INFORMATION PHONE: (888) 614-2112

IF SWALLOWED CALL YOUR POISON CONTROL CENTER AT 1-800-222-1222

2. Hazard(s) identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

GHS Classification: Not classified as hazardous under GHS

3. Composition/information on ingredients

Chemical Component:	CAS number and other unique identifiers	% (or range) of ingredient
No Hazardous Ingredients		

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

CEDAR Page 1 of 8

Product Name: CEDAR Product identifier: FRCED Revision Date: 10-09-2020

Replaces:

4. First-aid measures

Description of necessary measures, subdivided according to the different routes of exposure, i.e., inhalation, skin and eye contact, and ingestion:

Eye Contact: Flush eyes with plenty of water for at least 20 minutes retracting

eyelids often. Tilt the head to prevent chemical from transferring to

the uncontaminated eye. Get immediate medical attention.

Skin Contact: Wash with soap and water.

Inhalation: This material does not present a hazard if inhaled. Remove

individual to fresh air after an airborne exposure if any symptoms

develop, as a precautionary measure.

Ingestion: No hazard in normal industrial use. Do not induce vomiting. Seek

medical attention if symptoms develop. Provide medical care

provider with this MSDS.

Most important symptoms/effects, acute and delayed:

No Data Available Most important

symptoms/effects (Acute):

Most important No Data Available

symptoms/effects (Delayed):

Indication of immediate medical

attention and special treatment

needed, if necessary:

No additional first aid information available

5. Fire-fighting measures

Suitable (and unsuitable) extinguishing media:

Suitable extinguishing media: Use alcohol resistant foam, carbon dioxide, or dry chemical when

> fighting fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the surface of the fire. Do Not direct a stream of water into the hot

burning liquid.

Unsuitable extinguishing media: No Data Available

Specific hazards arising from the chemical (e.g., nature of any hazardous combustion products):

Flammability Summary: Combustible at elevated temperatures

Fire and/or Explosion Hazards: Material may be ignited only if preheated to temperatures above

the high flash point, for example in a fire.

Hazardous Combustion

Products:

Carbon Oxides

Special protective equipment

and precautions for fire-

Do not enter fire area without proper protection including selfcontained breathing apparatus and full protective equipment. Use

fighters: methods for the surrounding fire.

CEDAR Page 2 of 8

Product Name: CEDAR
Product identifier: FRCED
Revision Date: 10-09-2020

Replaces:

6. Accidental release measures

Personal precautions, protective equipment, and emergency procedures: Methods and materials for containment and cleaning up: No health affects expected from the clean-up of this material if contact can be avoided. Follow personal protective equipment

recommendations found in Section VIII of this MSDS

No special spill clean-up considerations. Collect and discard in

regular trash.

7. Handling and storage

Precautions for safe handling: Mildly irritating material. Avoid unnecessary exposure.

Conditions for safe storage, including any incompatibilities

Conditions for safe storage:

Store in a cool dry place. Isolate from incompatible materials.

Materials to Avoid/Chemical

Incompatibility:

Strong oxidizing agents

8. Exposure controls/personal protection

OSHA permissible exposure limit (PEL), American Conference of Governmental Industrial Hygienists (ACGIH) Threshold Limit Value (TLV), and any other exposure limit used or recommended by the chemical manufacturer, importer, or employer preparing the safety data sheet, where available:

Chemical Component	ACGIH TLV-TWA	ACGIH STEL	OSHA PEL
No Data Available			

Appropriate engineering

controls:

No exposure limits exist for the constituents of this product. No

engineering controls are likely to be required to maintain operator comfort under normal conditions of use.

Individual protection measures, such as personal protective equipment:

Respiratory Protection: No respiratory protection required under normal conditions of use.

Eye Protection: No special requirements under normal industrial use.

Skin Protection: Not normally considered a skin hazard. Where use can result in skin

contact, practice good personal hygiene. Wash hands and other exposed areas with mild soap and water before eating, drinking,

and when leaving work.

Gloves: No information available

Respiratory Protection: No respiratory protection required under normal conditions of use.

CEDAR Page 3 of 8

Product Name: CEDAR
Product identifier: FRCED
Revision Date: 10-09-2020

Replaces:

9. Physical and chemical properties

Appearance (physical state, color, etc.):

Appearance (physical state): Liquid

Color: Very pale yellow

Odor: Comparable to Standard

Odor threshold:

PH:

Not determined

Not Available

No Data Available

Flash Point: > 200 ° F
Evaporation Rate: Not Available
Flammability (solid, gas): No Data Available

Upper/lower flammability or explosive limits:

Upper Flammable/Explosive Limit:Not AvailableLower Flammable/Explosive Limit:Not Available

Vapor Density: > 1 Relative Density: 0.9334

Solubility(ies):Soluble in water- NoDecomposition Temperature::No Data AvailableViscosity:No Data Available

Volatiles, % by weight 0

Volatile Organic Chemicals No Data Available

Bulk Density 7.786

10. Stability and reactivity

Reactivity: No Data Available

Chemical stability: Stable under normal conditions.

Possibility of hazardous No Data Available

reactions:

Conditions to avoid (e.g., staticTemperatures above the high flash point of this combustible material in combination with sparks, open flames, or other sources

of ignition. .

Incompatible materials: Strong oxidizing agents

Hazardous decomposition

iazar aous accomposition

products:

Carbon Oxides

11. Toxicological information

CEDAR Page 4 of 8

Product Name: CEDAR
Product identifier: FRCED
Revision Date: 10-09-2020

Replaces:

Information on the likely routes

No Data Available

of exposure (inhalation,

ingestion, skin and eye contact):

Symptoms related to the

No Data Available

physical, chemical and

toxicological characteristics: Target Organs Potentially

No Data Available

Affected by Exposure:

Chemical Interactions That

None Known

Change Toxicity:

Delayed and immediate effects and also chronic effects from short- and long-term exposure:

Immediate (Acute) Health Effects by Route of Exposure:

Inhalation Irritation:No data.Skin Contact:No data.Eye Contact:No data.

Ingestion Irritation:No Data Available

Long-Term (Chronic) Health Effects:

Carcinogenicity: None of the substances have been shown to cause cancer in long term animal

studies. Not a carcinogen according to NTP, IARC, or OSHA.

Reproductive andNo data available to indicate product or any components present at greater than

Developmental Toxicity: 0.1% may cause birth defects.

Mutagenicity:No data available to indicate product or any components present at greater than

0.1% is mutagenic or genotoxic.

Numerical measures of toxicity (such as acute toxicity estimates)

Component Toxicology Data

Chemical Component	Oral LD50	Dermal LD50	Inhalation LC50
No data available			

Whether the hazardous chemical is listed in the National Toxicology Program (NTP) Report on Carcinogens (latest edition) or has been found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (latest edition), or by OSHA

Chemical Name	OSHA Carcinogen	IARC Carcinogen	NTP Carcinogen
No Data Available			

CEDAR Page 5 of 8

Product Name: CEDAR
Product identifier: FRCED
Revision Date: 10-09-2020

Replaces:

12. Ecological information

Ecotoxicity (aquatic and terrestrial, where available):

This material is not expected to be harmful to the ecology.

Ecological Toxicity Data

Chemical Component	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish
No Data Available			

Persistence and degradability: No Data Available Bioaccumulative potential: No Data Available No Data Available Other adverse effects (such as

hazardous to the ozone layer):

13. Disposal considerations

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging

Description of waste residues: Spent or discarded material is not expected to be a hazardous

waste.

Safe Handling of Waste: Waste treatment methods (including packaging): No Data Available DO NOT DUMP INTO ANY SEWERS, ON THE GROUND, OR INTO

ANY BODY OF WATER. All disposal practices must be in

compliance with all Federal, State/Provincial and local laws and regulations. Regulations may vary in different locations. Waste characterizations and compliance with applicable laws are the sole responsibility of the waste generator. As your supplier, we

have no control over the management practices or manufacturing processes of parties handling or using this material. The information presented here pertains only to the product when used as intended, according to this MSDS. For unused and uncontaminated product, the preferred options include sending to a licensed and permitted incinerator or other thermal destruction device. Various federal, state or provincial agencies may have specific regulations concerning the

transportation, handling, storage, use or disposal of this product which may not be covered in this MSDS. The user shall have to review these regulations to ensure full compliance with all

applicable regulations.

CEDAR Page 6 of 8

Product Name: CEDAR Product identifier: FRCED Revision Date: 10-09-2020

Replaces:

14. Transport information

US DOT Ground Shipping

Not Restricted

Description:

IATA Shipping Description: Not Restricted **IMDG Shipping Description:** Not Restricted

15. Regulatory information

Safety, health and environmental regulations specific for the product in question

TSCA Status: All components in this product are on the TSCA Inventory. California Prop 65: Does not contain any chemicals listed on California Proposition

65.

Regulated Components:

Chemical Component	CAS number and other unique identifiers	Regulation	% Range
None Listed		California Prop 65	
		Cancer	
None Listed		California Prop 65	
		Developmental	
None Listed		California Prop 65	
		Reproductive	
		Female	
None Listed		California Prop 65	
		Reproductive Male	
None Listed		CERCLA	
None Listed		SARA 313	
None Listed		SARA EHS	

16. Other information, including date of preparation or last revision.

Revision Date: 10-09-2020

Revision Number:

Important: While the descriptions, data and information contained herein are presented in good faith and believed to be Disclaimer:

CEDAR Page 7 of 8

Product Name: CEDAR
Product identifier: FRCED
Revision Date: 10-09-2020

Replaces:

accurate, it is provided for your guidance only. Because many factors may affect processing or application/use, we recommend that you perform an assessment to determine the suitability of the product for your particular purpose prior to use. Nothing herein should be interpreted as a recommendation to infringe existing patents or violate any laws or regulations. No warranties of any kind, either expressed or implied, including fitness for a particular purpose are made regarding the product described. We assume NO responsibility for any injuries resulting from misuse or misapplication of this product or that might be sustained because of inhalation, ingestion, absorption or other contact with this product. In no case shall the descriptions, information, or data provided be considered a part of our terms and conditions of sale. Further, the descriptions, data and information furnished hereunder are given gratis. No obligation or liability for the description, data and information given are assumed. All such being given and accepted at your risk.

CEDAR Page 8 of 8

Product Name: FRESH CUT WOOD

Product identifier: FRFTW Revision Date: 06-14-2020

Replaces:

1. Identification

Product identifier used on the label:

Product Name: FRESH CUT WOOD

Product identifier: FRFTW

Other means of identification

Synonyms: No Data Available

Fragrance

Recommended use of the chemical and restrictions on

use:

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Chemical Manufacturer / P&J TRADING

Importer / Distributor: 1313 CALLE AVANZADO

SAN CLEMENTE, CA 92673

Emergency phone number: EMERGENCY PHONE: (800) 535-5053

INFORMATION PHONE: (888) 614-2112 IF SWALLOWED CALL YOUR POISON CONTROL CENTER AT 1-800-222-1222

2. Hazard(s) identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

GHS Hazard Symbols:





GHS Classification: Aspiration Hazard Category 1; Hazardous to the aquatic environment - Acute

Category 1; Hazardous to the aquatic environment - Chronic Category 1

GHS Signal Word: Danger

GHS Hazard Statements: May be fatal if swallowed and enters airways.; Very toxic to aquatic life.; Very toxic

to aquatic life with long lasting effects.

GHS Precautionary Statements:

Safety Precautions: Avoid release to the environment.

First Aid Measures: IF SWALLOWED: Immediately call a POISON CENTER/doctor/.... Do NOT induce

vomiting. Collect spillage.

Storage: Store locked up.

FRESH CUT WOOD Page 1 of 8

Product Name: FRESH CUT WOOD

Product identifier: FRFTW **Revision Date:** 06-14-2020

Replaces:

Disposal: Dispose of contents/container in accordance with

local/regional/national/international regulation for hazardous wastes.

3. Composition/information on ingredients

Chemical Component:	CAS number and other unique identifiers	% (or range) of ingredient
Juniper, Juniperus Mexicana, ext.	68990-83-0	10 - 30

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures

Description of necessary measures, subdivided according to the different routes of exposure, i.e., inhalation, skin and eye contact, and ingestion:

Eye Contact: Flush eyes with plenty of water for at least 20 minutes retracting

eyelids often. Tilt the head to prevent chemical from transferring to

the uncontaminated eye. Get immediate medical attention.

Skin Contact: Wash with soap and water.

Inhalation: This material does not present a hazard if inhaled. Remove

individual to fresh air after an airborne exposure if any symptoms

develop, as a precautionary measure.

Ingestion: No hazard in normal industrial use. Do not induce vomiting. Seek

medical attention if symptoms develop. Provide medical care

provider with this MSDS.

Most important symptoms/effects, acute and delayed:

Most important No Data Available

symptoms/effects (Acute):

Most important No Data Available

symptoms/effects (Delayed):

Indication of immediate medical attention and special treatment

No additional first aid information available

needed, if necessary:

5. Fire-fighting measures

Suitable (and unsuitable) extinguishing media:

Product Name: FRESH CUT WOOD Product identifier: FRFTW Revision Date: 06-14-2020

Replaces:

Suitable extinguishing media: Use alcohol resistant foam, carbon dioxide, or dry chemical when

> fighting fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the surface of the fire. Do Not direct a stream of water into the hot

burning liquid.

Unsuitable extinguishing media: No Data Available

Specific hazards arising from the chemical (e.g., nature of any hazardous combustion products):

Flammability Summary: Combustible at elevated temperatures

Fire and/or Explosion Hazards: Material may be ignited only if preheated to temperatures above

the high flash point, for example in a fire.

Hazardous Combustion

Products:

Carbon Oxides

Special protective equipment and precautions for fire-

fighters:

Do not enter fire area without proper protection including selfcontained breathing apparatus and full protective equipment. Use

methods for the surrounding fire.

6. Accidental release measures

Personal precautions, protective equipment, and emergency procedures: Methods and materials for No health affects expected from the clean-up of this material if contact can be avoided. Follow personal protective equipment

recommendations found in Section VIII of this MSDS

No special spill clean-up considerations. Collect and discard in

containment and cleaning up: regular trash.

7. Handling and storage

Precautions for safe handling: Mildly irritating material. Avoid unnecessary exposure.

Conditions for safe storage, including any incompatibilities

Conditions for safe storage:

Store in a cool dry place. Isolate from incompatible materials.

Materials to Avoid/Chemical

Incompatibility:

Strong oxidizing agents Strong acids

8. Exposure controls/personal protection

OSHA permissible exposure limit (PEL), American Conference of Governmental Industrial Hygienists (ACGIH) Threshold Limit Value (TLV), and any other exposure limit used or recommended by the chemical manufacturer, importer, or employer preparing the safety data sheet, where available:

Chemical Component	ACGIH TLV-TWA	ACGIH STEL	OSHA PEL
No Data Available			

Appropriate engineering

No exposure limits exist for the constituents of this product. No

FRESH CUT WOOD Page 3 of 8

Product Name: FRESH CUT WOOD

Product identifier: FRFTW Revision Date: 06-14-2020

Replaces:

controls: engineering controls are likely to be required to maintain operator

comfort under normal conditions of use.

Individual protection measures, such as personal protective equipment:

Respiratory Protection: No respiratory protection required under normal conditions of use.

Eye Protection: No special requirements under normal industrial use.

Skin Protection: Not normally considered a skin hazard. Where use can result in skin

contact, practice good personal hygiene. Wash hands and other exposed areas with mild soap and water before eating, drinking,

and when leaving work.

Gloves: No information available

Respiratory Protection: No respiratory protection required under normal conditions of use.

9. Physical and chemical properties

Appearance (physical state, color, etc.):

Appearance (physical state): Liquid

Color: Very pale yellow

Odor: Comparable to Standard

Odor threshold:

pH:

Not determined

Not Available

No Data Available

Flash Point : > 200 º F
Evaporation Rate: Not Available
Flammability (solid, gas): No Data Available

Upper/lower flammability or explosive limits:

Upper Flammable/Explosive Limit:Not AvailableLower Flammable/Explosive Limit:Not Available

Vapor Density: > 1
Relative Density: 0.9337

Solubility(ies):Soluble in water- NoDecomposition Temperature::No Data AvailableViscosity:No Data Available

Volatiles, % by weight 3.57

Volatile Organic Chemicals No Data Available

Bulk Density 7.794

10. Stability and reactivity

Reactivity: No Data Available

Chemical stability: Stable under normal conditions.

Possibility of hazardous No Data Available

reactions:

Conditions to avoid (e.g., static Temperatures above the high flash point of this combustible

FRESH CUT WOOD Page 4 of 8

Product Name: FRESH CUT WOOD

Product identifier: FRFTW Revision Date: 06-14-2020

Replaces:

discharge, shock, or vibration): material in combination with sparks, open flames, or other sources

of ignition. Heat Light.

Incompatible materials:

Strong oxidizing agents Strong acids

Hazardous decomposition

products:

Carbon Oxides

11. Toxicological information

Information on the likely routes

No Data Available

of exposure (inhalation,

ingestion, skin and eye contact):

Symptoms related to the

No Data Available

physical, chemical and

toxicological characteristics:

Target Organs Potentially

No Data Available

Affected by Exposure:

Chemical Interactions That

None Known

Change Toxicity:

Delayed and immediate effects and also chronic effects from short- and long-term exposure:

Immediate (Acute) Health Effects by Route of Exposure:

Inhalation Irritation:No data.Skin Contact:No data.Eye Contact:No data.

Ingestion Irritation: No Data Available

Long-Term (Chronic) Health Effects:

Carcinogenicity:None of the substances have been shown to cause cancer in long term animal

studies. Not a carcinogen according to NTP, IARC, or OSHA.

Reproductive andNo data available to indicate product or any components present at greater than

Developmental Toxicity: 0.1% may cause birth defects.

Mutagenicity: No data available to indicate product or any components present at greater than

0.1% is mutagenic or genotoxic.

Numerical measures of toxicity (such as acute toxicity estimates)

Component Toxicology Data

Chemical Component	Oral LD50	Dermal LD50	Inhalation LC50
No data available			

FRESH CUT WOOD Page 5 of 8

Product Name: FRESH CUT WOOD Product identifier: FRFTW Revision Date: 06-14-2020

Replaces:

Whether the hazardous chemical is listed in the National Toxicology Program (NTP) Report on Carcinogens (latest edition) or has been found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (latest edition), or by OSHA

Chemical Name	OSHA Carcinogen	IARC Carcinogen	NTP Carcinogen
No Data Available			

12. Ecological information

Ecotoxicity (aquatic and terrestrial, where available): This material is not expected to be harmful to the ecology.

Ecological Toxicity Data

Chemical Component	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish
No Data Available			

Persistence and degradability: No Data Available Bioaccumulative potential: No Data Available Mobility in soil: No Data Available Other adverse effects (such as No Data Available

hazardous to the ozone layer):

13. Disposal considerations

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging

Spent or discarded material is not expected to be a hazardous Description of waste residues:

waste.

Safe Handling of Waste: Waste treatment methods (including packaging):

No Data Available DO NOT DUMP INTO ANY SEWERS, ON THE GROUND, OR INTO

ANY BODY OF WATER. All disposal practices must be in

compliance with all Federal, State/Provincial and local laws and regulations. Regulations may vary in different locations. Waste characterizations and compliance with applicable laws are the sole responsibility of the waste generator. As your supplier, we

have no control over the management practices or

manufacturing processes of parties handling or using this material. The information presented here pertains only to the product when used as intended, according to this MSDS. For unused and uncontaminated product, the preferred options include sending to a licensed and permitted incinerator or other thermal destruction device. Various federal, state or provincial

FRESH CUT WOOD Page 6 of 8

Product Name: FRESH CUT WOOD Product identifier: FRFTW Revision Date: 06-14-2020

Replaces

agencies may have specific regulations concerning the transportation, handling, storage, use or disposal of this product which may not be covered in this MSDS. The user shall have to review these regulations to ensure full compliance with all applicable regulations.

14. Transport information

US DOT Ground Shipping

Not Restricted

Description:

IATA Shipping Description: Not Restricted IMDG Shipping Description: Not Restricted

15. Regulatory information

Safety, health and environmental regulations specific for the product in question

TSCA Status: All components in this product are on the TSCA Inventory.

California Prop 65: Does not contain any chemicals listed on California Proposition

65.

Regulated Components:

Chemical Component	CAS number and other unique identifiers	Regulation	% Range
None Listed		California Prop 65	
		Cancer	
None Listed		California Prop 65	
		Developmental	
None Listed		California Prop 65	
		Reproductive	
		Female	
None Listed		California Prop 65	
		Reproductive Male	
None Listed		CERCLA	
None Listed		SARA 313	
None Listed		SARA EHS	

FRESH CUT WOOD Page 7 of 8

Product Name: FRESH CUT WOOD Product identifier: FRFTW Revision Date: 06-14-2020

Replaces:

16. Other information, including date of preparation or last revision.

Revision Date: 06-14-2020

Revision Number: Disclaimer:

Important: While the descriptions, data and information contained herein are presented in good faith and believed to be accurate, it is provided for your guidance only. Because many factors may affect processing or application/use, we recommend that you perform an assessment to determine the suitability of the product for your particular purpose prior to use. Nothing herein should be interpreted as a recommendation to infringe existing patents or violate any laws or regulations. No warranties of any kind, either expressed or implied, including fitness for a particular purpose are made regarding the product described. We assume NO responsibility for any injuries resulting from misuse or misapplication of this product or that might be sustained because of inhalation, ingestion, absorption or other contact with this product. In no case shall the descriptions, information, or data provided be considered a part of our terms and conditions of sale. Further, the descriptions, data and information furnished hereunder are given gratis. No obligation or liability for the description, data and information given are assumed. All such being given and accepted at your risk.

FRESH CUT WOOD Page 8 of 8

Product Name: LEATHER Product identifier: FRLEA Revision Date: 05-09-2021

Replaces

1. Identification

Product identifier used on the label:

Product Name: LEATHER Product identifier: FRLEA

Other means of identification

Synonyms: No Data Available

Fragrance

Recommended use of the chemical and restrictions on

use:

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Chemical Manufacturer / P&J TRADING

Importer / Distributor: 1313 CALLE AVANZADO

SAN CLEMENTE, CA 92673

Emergency phone number: EMERGENCY PHONE: (800) 535-5053

INFORMATION PHONE: (888) 614-2112

IF SWALLOWED CALL YOUR POISON CONTROL CENTER AT 1-800-222-1222

2. Hazard(s) identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

GHS Hazard Symbols:





GHS Classification: Skin Corrosion/Irritation Category 1B; Serious Eye Damage/Eye Irritation Category

1; Hazardous to the aquatic environment - Acute Category 3; Hazardous to the aquatic environment - Chronic Category 3; Acute Toxicity - Oral Category 4

GHS Signal Word: Danger

GHS Hazard Statements: Harmful if swallowed.; Causes severe skin burns and eye damage.; Causes serious

eye damage.; Harmful to aquatic life.; Harmful to aquatic life with long lasting

effects.

GHS Precautionary Statements:

Safety Precautions: Wash thoroughly after handling. Do no eat, drink or smoke when using this

product. Avoid release to the environment. Wear protective gloves/protective

LEATHER Page 1 of 10

Product Name: LEATHER Product identifier: FRLEA Revision Date: 05-09-2021

Replaces:

clothing/eye protection/face protection.

First Aid Measures: IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. IF

SWALLOWED: rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor/.... Rinse mouth. Wash

contaminated clothing before reuse.

Storage: Store locked up.

Disposal: Dispose of contents/container in accordance with

local/regional/national/international regulation for hazardous wastes.

3. Composition/information on ingredients

Chemical Component:	CAS number and other unique identifiers	% (or range) of ingredient
Phenol, 2,6-dimethyl-	576-26-1	7 - 15
2,6-di-t-Butyl-p-cresol	128-37-0	0.5 - 1.5
Oxacyclohexadecan-2-one	106-02-5	0.1 - 1

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures

Description of necessary measures, subdivided according to the different routes of exposure, i.e., inhalation, skin and eye contact, and ingestion:

Eye Contact: Flush eyes with plenty of water for at least 20 minutes retracting

eyelids often. Tilt the head to prevent chemical from transferring to

the uncontaminated eye. Get immediate medical attention.

Skin Contact: Wash with soap and water. Remove contaminated clothing and

launder. Get medical attention if irritation develops or persists.

Inhalation: Remove to fresh air. If breathing is difficult, have a trained

individual administer oxygen. If not breathing, give artificial respiration and have a trained individual administer oxygen. Get

medical attention immediately

Ingestion: Do not induce vomiting and seek medical attention immediately.

Drink two glasses of water or milk to dilute. Provide medical care

provider with this MSDS.

Most important symptoms/effects, acute and delayed:

Most important No Data Available

LEATHER Page 2 of 10

Product Name: LEATHER Product identifier: FRLEA Revision Date: 05-09-2021

Replaces:

symptoms/effects (Acute):

Most important

symptoms/effects (Delayed):

No Data Available

Indication of immediate medical attention and special treatment

needed, if necessary:

No additional first aid information available

5. Fire-fighting measures

Suitable (and unsuitable) extinguishing media:

Suitable extinguishing media: Use alcohol resistant foam, carbon dioxide, or dry chemical when

fighting fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the surface of the fire. Do Not direct a stream of water into the hot

burning liquid.

Unsuitable extinguishing media: No Data Available

Specific hazards arising from the chemical (e.g., nature of any hazardous combustion products):

Flammability Summary: Combustible at elevated temperatures

Fire and/or Explosion Hazards: Material may be ignited only if preheated to temperatures above

the high flash point, for example in a fire.

Hazardous Combustion

Products:

Carbon Oxides, Carbon dioxide, Carbon monoxide, Toxic fumes.,

Toxic gases

Special protective equipment

and precautions for fire-

fighters:

Do not enter fire area without proper protection including self-contained breathing apparatus and full protective equipment.

6. Accidental release measures

Personal precautions, protective equipment, and emergency procedures: Methods and materials for

containment and cleaning up:

No health affects expected from the clean-up of this material if contact can be avoided. Follow personal protective equipment

recommendations found in Section VIII of this MSDS

No special spill clean-up considerations. Collect and discard in

regular trash.

7. Handling and storage

Precautions for safe handling: Mildly irritating material. Avoid unnecessary exposure. As with all

chemicals, good industrial hygiene practices should be followed when handling this material. Avoid contact with material, avoid breathing dusts or fumes, use only in a well ventilated area. Wash thoroughly after handling Do not get in eyes, on skin and clothing

Conditions for safe storage, including any incompatibilities

LEATHER Page 3 of 10

Product Name: LEATHER Product identifier: FRLEA **Revision Date: 05-09-2021**

Replaces:

Conditions for safe storage: Store in a cool dry place. Isolate from incompatible materials. Store

> in a cool place in original container and protect from sunlight Keep container closed when not in use Keep away from food and drinking

water.

Materials to Avoid/Chemical

Incompatibility:

Strong oxidizing agents Bases Acid chlorides Acid anhydrides Oxidising agents Brass Copper Acetic anhydride Chlorinated

compounds Metals Caustics (bases)

8. Exposure controls/personal protection

OSHA permissible exposure limit (PEL), American Conference of Governmental Industrial Hygienists (ACGIH) Threshold Limit Value (TLV), and any other exposure limit used or recommended by the chemical manufacturer, importer, or employer preparing the safety data sheet, where available:

Chemical Component	ACGIH TLV-TWA	ACGIH STEL	OSHA PEL
No Data Available			

Appropriate engineering

controls:

No exposure limits exist for the constituents of this product. Use local exhaust ventilation or other engineering controls to minimize exposures and maintain operator comfort. Engineering controls must be designed to meet the OSHA chemical specific standard in 29 CFR 1910. Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits

Individual protection measures, such as personal protective equipment:

Respiratory Protection: Respiratory protection may be required to avoid overexposure

> when handling this product. General or local exhaust ventilation is the preferred means of protection. Use a respirator if general room ventilation is not available or sufficient to eliminate symptoms. Follow a respiratory protection program that meets 29 CFR 1910.134 and ANSI Z88.2 requirements whenever work place conditions warrant the use of a respirator. Respiratory protection may be required in addition to ventilation depending upon

conditions of use.

Eye Protection: Wear chemically resistant safety glasses with side shields when

handling this product. Do not wear contact lenses. Wear goggles

and a Face shield

Skin Protection: Wear protective gloves. Inspect gloves for chemical break-through

and replace at regular intervals. Clean protective equipment regularly. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work Where contact is likely, wear chemical resistant gloves, a chemical suit, rubber boots, and chemical safety goggles plus a face shield

No information available

Gloves:

LEATHER Page 4 of 10

Product Name: LEATHER Product identifier: FRLEA Revision Date: 05-09-2021

Replaces:

Respiratory Protection: Respiratory protection may be required to avoid overexposure

when handling this product. General or local exhaust ventilation is the preferred means of protection. Use a respirator if general room ventilation is not available or sufficient to eliminate symptoms. Follow a respiratory protection program that meets 29 CFR 1910.134 and ANSI Z88.2 requirements whenever work place conditions warrant the use of a respirator. Respiratory protection may be required in addition to ventilation depending upon

conditions of use.

Other Protective Equipment: Wear goggles and a Face shield Where contact is likely, wear

chemical resistant gloves, a chemical suit, rubber boots, and

chemical safety goggles plus a face shield

General Hygiene Conditions: As with all chemicals, good industrial hygiene practices should be

followed when handling this material. Avoid contact with material, avoid breathing dusts or fumes, use only in a well ventilated area. Wash thoroughly after handling Do not get in eyes, on skin and

clothing

9. Physical and chemical properties

Appearance (physical state, color, etc.):

Appearance (physical state): Liquid Color: Clear

Odor: Comparable to Standard

Odor threshold:

pH:

Not determined

Not Available

Melting Point/Freezing Point (°C):

Initial Boiling Point and Boiling Range (°C):

No Data Available

Flash Point : > 200 ° F
Evaporation Rate: Not Available
Flammability (solid, gas): No Data Available

Upper/lower flammability or explosive limits:

Upper Flammable/Explosive Limit:Not Available **Lower Flammable/Explosive Limit:**Not Available

Vapor Density: > 1
Relative Density: 1

Solubility(ies):Soluble in water- NoDecomposition Temperature::No Data AvailableViscosity:No Data Available

Volatiles, % by weight 11.21

Volatile Organic Chemicals No Data Available

Bulk Density 7.828

LEATHER Page 5 of 10

Product Name: LEATHER Product identifier: FRLEA Revision Date: 05-09-2021

Replaces:

10. Stability and reactivity

Reactivity: No Data Available

Chemical stability: Stable under normal conditions.

Possibility of hazardous

reactions:

No Data Available

Conditions to avoid (e.g., static Temperatures above the high flash point of this combustible

discharge, **shock**, **or vibration**): material in combination with sparks, open flames, or other sources

of ignition. Contamination Visible light.

Incompatible materials: Strong oxidizing agents Bases Acid chlorides Acid anhydrides

Oxidising agents Brass Copper Acetic anhydride Chlorinated

compounds Metals Caustics (bases)

Hazardous decomposition

-d. -d-

products:

Carbon Oxides Carbon dioxide Carbon monoxide Toxic fumes. Toxic gases

11. Toxicological information

Information on the likely routes

of exposure (inhalation,

ingestion, skin and eye contact):

Symptoms related to the

physical, chemical and

toxicological characteristics:

Target Organs Potentially

Affected by Exposure:

Chemical Interactions That

Skin contact, Eye contact

No Data Available

No Data Available

Delayed and immediate effects and also chronic effects from short- and long-term exposure:

None Known

Change Toxicity:

Immediate (Acute) Health Effects by Route of Exposure:

Inhalation Irritation: Can cause respiratory irritation.

Skin Contact: Can cause moderate skin irritation, defatting, and dermatitis. Not likely to cause

permanent damage.

Eye Contact: Can cause moderate irritation, tearing and reddening, but not likely to permanently

injure eye tissue.

Ingestion Irritation: Irritating to mouth, throat, and stomach. Can cause abdominal discomfort, nausea,

vomiting and diarrhea.

Ingestion Toxicity: Harmful if swallowed.

Long-Term (Chronic) Health Effects:

Carcinogenicity:None of the substances have been shown to cause cancer in long term animal

studies. Not a carcinogen according to NTP, IARC, or OSHA.

Reproductive andNo data available to indicate product or any components present at greater than

LEATHER Page 6 of 10

Product Name: LEATHER Product identifier: FRLEA Revision Date: 05-09-2021

Replaces:

Skin Contact:

Developmental Toxicity: 0.1% may cause birth defects. Possible reproductive hazard.

Mutagenicity: No data available to indicate product or any components present at greater than

0.1% is mutagenic or genotoxic.

Inhalation: Upon prolonged and/or repeated exposure, can cause moderate respiratory

irritation, dizziness, weakness, fatigue, nausea and headache. Harmful! Can cause systemic damage upon prolonged and/or repeated exposure (see "Target Organs) Upon prolonged or repeated contact, can cause moderate skin irritation, defatting,

and dermatitis. Not likely to cause permanent damage.

Numerical measures of toxicity (such as acute toxicity estimates) Component Toxicology Data

Chemical Component	Oral LD50	Dermal LD50	Inhalation LC50
No data available			

Whether the hazardous chemical is listed in the National Toxicology Program (NTP) Report on Carcinogens (latest edition) or has been found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (latest edition), or by OSHA

Chemical Name	OSHA Carcinogen	IARC Carcinogen	NTP Carcinogen
No Data Available			

12. Ecological information

Ecotoxicity (aquatic and terrestrial, where available):

This material is not expected to be harmful to the ecology.

Ecological Toxicity Data

Chemical Component	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish
No Data Available			

Persistence and degradability: No Data Available No Data Available No Data Available No Data Available Other adverse effects (such as

hazardous to the ozone layer):

LEATHER Page 7 of 10

Product Name: LEATHER Product identifier: FRLEA Revision Date: 05-09-2021

Replaces:

13. Disposal considerations

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging

Description of waste residues: Spent or discarded material is not expected to be a hazardous

waste.

Safe Handling of Waste: No Data Available

Waste treatment methods (including packaging):

DO NOT DUMP INTO ANY SEWERS, ON THE GROUND, OR INTO

ANY BODY OF WATER. All disposal practices must be in

compliance with all Federal, State/Provincial and local laws and regulations. Regulations may vary in different locations. Waste characterizations and compliance with applicable laws are the sole responsibility of the waste generator. As your supplier, we

have no control over the management practices or manufacturing processes of parties handling or using this material. The information presented here pertains only to the product when used as intended, according to this MSDS. For unused and uncontaminated product, the preferred options include sending to a licensed and permitted incinerator or other thermal destruction device. Various federal, state or provincial

agencies may have specific regulations concerning the transportation, handling, storage, use or disposal of this product which may not be covered in this MSDS. The user shall have to

review these regulations to ensure full compliance with all

applicable regulations.

14. Transport information

US DOT Ground Shipping

Not Restricted

Description:

IATA Shipping Description: Not Restricted IMDG Shipping Description: Not Restricted

15. Regulatory information

Safety, health and environmental regulations specific for the product in question

TSCA Status: All components in this product are on the TSCA Inventory. **California Prop 65:** Contains chemicals listed on California Proposition 65, see

below.

Regulated Components:

LEATHER Page 8 of 10

Product Name: LEATHER Product identifier: FRLEA **Revision Date: 05-09-2021**

Replaces:

Chemical Component	CAS number and other unique	Regulation	% Range
	identifiers		
None Listed		California Prop 65	
		Cancer	
None Listed		California Prop 65	
		Developmental	
None Listed		California Prop 65	
		Reproductive	
		Female	
None Listed		California Prop 65	
		Reproductive Male	
None Listed		CERCLA	
None Listed		SARA 313	
None Listed		SARA EHS	

16. Other information, including date of preparation or last revision.

Revision Date: 05-09-2021

Revision Number: Disclaimer:

Important: While the descriptions, data and information contained herein are presented in good faith and believed to be accurate, it is provided for your guidance only. Because many factors may affect processing or application/use, we recommend that you perform an assessment to determine the suitability of the product for your particular purpose prior to use. Nothing herein should be interpreted as a recommendation to infringe existing patents or violate any laws or regulations. No warranties of any kind, either expressed or implied, including fitness for a particular purpose are made regarding the product described. We assume NO responsibility for any injuries resulting from misuse or misapplication of this product or that might be sustained because of inhalation, ingestion, absorption or other contact with this product. In no case shall the descriptions, information, or data provided be considered a part of our terms and conditions of sale. Further, the descriptions, data and information furnished hereunder are given gratis. No

LEATHER Page 9 of 10

Product Name: LEATHER Product identifier: FRLEA Revision Date: 05-09-2021 Replaces:

obligation or liability for the description, data and information given are assumed. All such being given and accepted at your risk.

LEATHER Page 10 of 10

Product Name: TEAKWOOD Product identifier: FRTEK Revision Date: 04-06-2021

Replaces:

1. Identification

Product identifier used on the label:

Product Name: TEAKWOOD Product identifier: FRTEK

Other means of identification

Synonyms: No Data Available

Recommended use of the chemical and restrictions on

Fragrance

use

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Chemical Manufacturer / P&J TRADING

Importer / Distributor: 1313 CALLE AVANZADO

SAN CLEMENTE, CA 92673

Emergency phone number: EMERGENCY PHONE: (800) 535-5053

INFORMATION PHONE: 888-614-2112

IF SWALLOWED CALL YOUR POISON CONTROL CENTER AT 1-800-222-1222

2. Hazard(s) identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

GHS Hazard Symbols:





GHS Classification: Serious Eye Damage/Eye Irritation Category 2A; Hazardous to the aquatic

environment - Acute Category 2; Hazardous to the aquatic environment - Chronic

Category 2

GHS Signal Word: Warning

GHS Hazard Statements: May cause an allergic skin reaction.; Causes serious eye irritation.; Toxic to aquatic

life..; Toxic to aquatic life with long lasting effects.

GHS Precautionary Statements:

Safety Precautions: Wash thoroughly after handling. Contaminated work clothing should not be

allowed out of the workplace. Avoid release to the environment. Wear protective

gloves/protective clothing/eye protection/face protection.

TEAKWOOD Page 1 of 9

Product Name: TEAKWOOD Product identifier: FRTEK Revision Date: 04-06-2021

Replaces

First Aid Measures: IF ON SKIN: Wash with plenty of soap and water. IF IN EYES: Rinse cautiously with

water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Wash contaminated clothing

before reuse. Collect spillage.

Disposal: Dispose of contents/container in accordance with

local/regional/national/international regulation for hazardous wastes.

3. Composition/information on ingredients

Chemical Component:	CAS number and other unique identifiers	% (or range) of ingredient
7-Octen-2-ol, 2,6-dimethyl-	18479-58-8	10 - 30
KOAVONE - K-0001	86115-11-9	5 - 10
Ethanone, 1-(1,2,3,4,5,6,7,8-	54464-57-2	3 - 7
octahydro-2,3,8,8-tetramethyl-2-		
naphthalenyl)-		
2-Buten-1-ol, 2-ethyl-4-(2,2,3-	28219-61-6	3 - 7
trimethyl-3-cyclopenten-1-yl)-		
Heptanal, 2-(phenylmethylene)-	122-40-7	1 - 5
1,6-Octadien-3-ol, 3,7-dimethyl-, 3-	115-95-7	0.5 - 1.5
acetate		
2H-1-Benzopyran-2-one	91-64-5	0.1 - 1
Benzenepropanal, .alphamethyl-4-	103-95-7	0.1 - 1
(1-methylethyl)-		
CLARYCET - C-1735	131766-73-9	0.1 - 1
Cyclohexanemethanol, 4-(1-	13828-37-0	0.1 - 1
methylethyl)-, cis-		
Cyclohexene, 1-methyl-4-(1-	5989-27-5	0.1 - 1
methylethenyl)-, (R)-		
2-Oxabicyclo[2.2.2]octane, 1,3,3-	470-82-6	0.1 - 1
trimethyl-		
4-Penten-1-one, 1-(5,5-dimethyl-1-	56973-85-4	0.1 - 1
cyclohexen-1-yl)-		

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures

Description of necessary measures, subdivided according to the different routes of exposure, i.e., inhalation, skin and eye contact, and ingestion:

TEAKWOOD Page 2 of 9

Product Name: TEAKWOOD Product identifier: FRTEK **Revision Date: 04-06-2021**

Replaces:

Eye Contact: Flush eyes with plenty of water for at least 20 minutes retracting

eyelids often. Tilt the head to prevent chemical from transferring to

the uncontaminated eye. Get immediate medical attention.

Skin Contact: Wash with soap and water.

Inhalation: This material does not present a hazard if inhaled. Remove

individual to fresh air after an airborne exposure if any symptoms

develop, as a precautionary measure.

No hazard in normal industrial use. Do not induce vomiting. Seek Ingestion:

medical attention if symptoms develop. Provide medical care

provider with this MSDS.

Most important symptoms/effects, acute and delayed:

Most important

No Data Available symptoms/effects (Acute):

Most important symptoms/effects (Delayed): No Data Available

Indication of immediate medical attention and special treatment

needed, if necessary:

No additional first aid information available

5. Fire-fighting measures

Suitable (and unsuitable) extinguishing media:

Suitable extinguishing media: Use alcohol resistant foam, carbon dioxide, dry chemical, or water

> spray when fighting fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the fire. Do not direct a water stream directly

into the hot burning liquid.

Unsuitable extinguishing media: No Data Available

Specific hazards arising from the chemical (e.g., nature of any hazardous combustion products):

Flammability Summary: Combustible at elevated temperatures

Fire and/or Explosion Hazards: Material may be ignited if preheated to temperatures above the

flash point in the presence of a source of ignition.

Hazardous Combustion

Products:

Carbon Oxides

Special protective equipment

and precautions for fire-

fighters:

Do not enter fire area without proper protection including selfcontained breathing apparatus and full protective equipment. Fight

fire from a safe distance and a protected location due to the potential of hazardous vapors and decomposition products. Use

methods for the surrounding fire.

TEAKWOOD Page 3 of 9

Product Name: TEAKWOOD Product identifier: FRTEK Revision Date: 04-06-2021

Replaces:

6. Accidental release measures

Personal precautions, protective equipment, and emergency procedures: Methods and materials for containment and cleaning up: No health affects expected from the clean-up of this material if contact can be avoided. Follow personal protective equipment

recommendations found in Section VIII of this MSDS

No special spill clean-up considerations. Collect and discard in regular trash.

7. Handling and storage

Precautions for safe handling: Mildly irritating material. Avoid unnecessary exposure.

Conditions for safe storage, including any incompatibilities

Conditions for safe storage: Materials to Avoid/Chemical

Store in a cool dry place. Isolate from incompatible materials. Strong oxidizing agents Strong acids Strong bases Oxidizing mineral

Incompatibility:

acids Strong reducing agents

8. Exposure controls/personal protection

OSHA permissible exposure limit (PEL), American Conference of Governmental Industrial Hygienists (ACGIH) Threshold Limit Value (TLV), and any other exposure limit used or recommended by the chemical manufacturer, importer, or employer preparing the safety data sheet, where available:

Chemical Component	ACGIH TLV-TWA	ACGIH STEL	OSHA PEL
No Data Available			

Appropriate engineering

controls:

No exposure limits exist for the constituents of this product. No engineering controls are likely to be required to maintain operator

comfort under normal conditions of use.

Individual protection measures, such as personal protective equipment:

Respiratory Protection: No respiratory protection required under normal conditions of use.

Eye Protection: No special requirements under normal industrial use.

Skin Protection: Not normally considered a skin hazard. Where use can result in skin

contact, practice good personal hygiene. Wash hands and other exposed areas with mild soap and water before eating, drinking,

and when leaving work.

Gloves: No information available

Respiratory Protection: No respiratory protection required under normal conditions of use.

TEAKWOOD Page 4 of 9

Product Name: TEAKWOOD Product identifier: FRTEK Revision Date: 04-06-2021

Replaces:

9. Physical and chemical properties

Appearance (physical state, color, etc.):

Appearance (physical state): Liquid Color: Clear

Odor: Comparable to Standard

Odor threshold:

pH:

Not determined

Not Available

Initial Boiling Point and Boiling Range (°C):

No Data Available

Flash Point : > 200 º F
Evaporation Rate: Not Available
Flammability (solid, gas): No Data Available

Upper/lower flammability or explosive limits:

Upper Flammable/Explosive Limit: Not Available **Lower Flammable/Explosive Limit**: Not Available

Vapor Density: > 1
Relative Density: 1

Solubility(ies):Soluble in water- NoDecomposition Temperature::No Data AvailableViscosity:No Data Available

Volatiles, % by weight 27.85

Volatile Organic Chemicals No Data Available

Bulk Density 7.569

10. Stability and reactivity

Reactivity: No Data Available

Chemical stability: Stable under normal conditions.

Possibility of hazardous No Data Available

reactions:

Conditions to avoid (e.g., static discharge, shock, or vibration):Temperatures above the high flash point of this combustible material in combination with sparks, open flames, or other sources

of ignition. Heat flame sparks open flames.

Incompatible materials: Strong oxidizing agents Strong acids Strong bases Oxidizing mineral

acids Strong reducing agents

Hazardous decomposition

products:

Carbon Oxides

11. Toxicological information

TEAKWOOD Page 5 of 9

Product Name: TEAKWOOD Product identifier: FRTEK Revision Date: 04-06-2021

Replaces:

Information on the likely routes

No Data Available

of exposure (inhalation,

ingestion, skin and eye contact):

Symptoms related to the physical, chemical and

No Data Available

pnysical, chemical and toxicological characteristics:

Target Organs Potentially

No Data Available

Affected by Exposure:

Chemical Interactions That

None Known

Change Toxicity:

Delayed and immediate effects and also chronic effects from short- and long-term exposure:

Immediate (Acute) Health Effects by Route of Exposure:

Inhalation Irritation:No data.Skin Contact:No data.Eye Contact:No data.

Ingestion Irritation:No Data Available

Long-Term (Chronic) Health Effects:

Carcinogenicity:None of the substances have been shown to cause cancer in long term animal

studies. Not a carcinogen according to NTP, IARC, or OSHA.

Reproductive andNo data available to indicate product or any components present at greater than

Developmental Toxicity: 0.1% may cause birth defects.

Mutagenicity:No data available to indicate product or any components present at greater than

0.1% is mutagenic or genotoxic.

Numerical measures of toxicity (such as acute toxicity estimates)

Component Toxicology Data

Chemical Component	Oral LD50	Dermal LD50	Inhalation LC50
No data available			

Whether the hazardous chemical is listed in the National Toxicology Program (NTP) Report on Carcinogens (latest edition) or has been found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (latest edition), or by OSHA

Chemical Name	OSHA Carcinogen	IARC Carcinogen	NTP Carcinogen
No Data Available			

TEAKWOOD Page 6 of 9

Product Name: TEAKWOOD Product identifier: FRTEK Revision Date: 04-06-2021

Replaces:

12. Ecological information

Ecotoxicity (aquatic and terrestrial, where available):

This material is not expected to be harmful to the ecology.

Ecological Toxicity Data

Chemical Component	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish
No Data Available			

Persistence and degradability: No Data Available Bioaccumulative potential: No Data Available No Data Available Other adverse effects (such as No Data Available

hazardous to the ozone layer):

13. Disposal considerations

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging

Description of waste residues: Spent or discarded material is not expected to be a hazardous

No Data Available

waste.

Safe Handling of Waste: Waste treatment methods

Waste treatment methods (including packaging):

DO NOT DUMP INTO ANY SEWERS, ON THE GROUND, OR INTO

ANY BODY OF WATER. All disposal practices must be in

compliance with all Federal, State/Provincial and local laws and regulations. Regulations may vary in different locations. Waste characterizations and compliance with applicable laws are the sole responsibility of the waste generator. As your supplier, we

have no control over the management practices or manufacturing processes of parties handling or using this material. The information presented here pertains only to the product when used as intended, according to this MSDS. For unused and uncontaminated product, the preferred options include sending to a licensed and permitted incinerator or other thermal destruction device. Various federal, state or provincial agencies may have specific regulations concerning the

transportation, handling, storage, use or disposal of this product which may not be covered in this MSDS. The user shall have to review these regulations to ensure full compliance with all

applicable regulations.

TEAKWOOD Page 7 of 9

Product Name: TEAKWOOD Product identifier: FRTEK Revision Date: 04-06-2021

Replaces:

14. Transport information

US DOT Ground Shipping

Not Restricted

Description:

IATA Shipping Description: Not Restricted IMDG Shipping Description: Not Restricted

15. Regulatory information

Safety, health and environmental regulations specific for the product in question

TSCA Status: All components in this product are on the TSCA Inventory. **California Prop 65:** Does not contain any chemicals listed on California Proposition

65.

Regulated Components:

Chemical Component	CAS number and other unique identifiers	Regulation	% Range
None Listed		California Prop 65	
		Cancer	
None Listed		California Prop 65	
		Developmental	
None Listed		California Prop 65	
		Reproductive	
		Female	
None Listed		California Prop 65	
		Reproductive Male	
None Listed		CERCLA	
None Listed		SARA 313	
None Listed		SARA EHS	

16. Other information, including date of preparation or last revision.

Revision Date: 04-06-2021

Revision Number:

Important: While the descriptions, data and information

Disclaimer: Contained herein are presented in good faith and believed to be

TEAKWOOD Page 8 of 9

Product Name: TEAKWOOD Product identifier: FRTEK Revision Date: 04-06-2021

Replaces:

accurate, it is provided for your guidance only. Because many factors may affect processing or application/use, we recommend that you perform an assessment to determine the suitability of the product for your particular purpose prior to use. Nothing herein should be interpreted as a recommendation to infringe existing patents or violate any laws or regulations. No warranties of any kind, either expressed or implied, including fitness for a particular purpose are made regarding the product described. We assume NO responsibility for any injuries resulting from misuse or misapplication of this product or that might be sustained because of inhalation, ingestion, absorption or other contact with this product. In no case shall the descriptions, information, or data provided be considered a part of our terms and conditions of sale. Further, the descriptions, data and information furnished hereunder are given gratis. No obligation or liability for the description, data and information given are assumed. All such being given and accepted at your risk.

TEAKWOOD Page 9 of 9