Revision Date: 10-16-20

I. IDENTIFICATION

Product identification used on label	
Product Name:	NIGHT AIR
Product Identifier:	FRNIA
Recommended Use of the	Fragrance
Chemical and restrictions on use:	-

Company:	P&J TRADING 1313 CALLE AVANZADO SAN CLEMENTE, CA 92673
Emergency Phone	EMERGENCY PHONE: (800) 535-5053
Number:	INFORMATION PHONE: (888) 614-2112

IF SWALLOWED CALL YOUR POISON CONTROL CENTER AT 1-800-222-1222

II. HAZARD(S) IDENTIFICATION

Classification of the ch GHS Hazard Symbols:	emical in accordance with paragraph (d) of §1910.1200;
GHS Classification:	Skin Corrosion/Irritation Category 2; Serious Eye Damage/Eye Irritation Category 2A; Reproductive Toxicity Category 2; Hazardous to the aquatic environment - Acute Category 2; Hazardous to the aquatic environment - Chronic Category 3; Flammable Liquid Category 4
GHS Signal Word:	Warning
GHS Hazard	Cumbustible Liquid; Causes skin irritation.; May cause an allergic skin reaction.; Causes serious eye irritation.; Suspected of damaging fertility or the unborn child.; Toxic to aquatic life; Harmful to aquatic life with long lasting effects.
GHS Precautions:	
Safety Precautions:	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces. – No smoking. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection.
First Aid Measures (Response):	IF ON SKIN: Wash with plenty of soap and water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical advice/attention. If skin irritation occurs: Get medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention. Take
NIGHT AIR	Page 1 of 7

Revision Date: 10-16-20

off contaminated clothing and wash before reuse. Wash contaminated clothing before reuse. In case of fire: Use extinguishing media listed in Section 5 of the SDS to extinguish.

Storage: Disposal: Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulation for hazardous wastes.

III. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS #	%	
1,6-Octadien-3-ol, 3,7-dimethyl-, 3-acetate	115-95-7	10 - 30	
Benzoic acid, 2-hydroxy-, phenylmethyl ester	118-58-1	5 - 10	
2-Phenylethanol	60-12-8	5 - 10	
Benzenepropanal, 4-(1,1-dimethylethyl)alphamethyl-	80-54-6	5 - 10	
Terpenes and Terpenoids	68917-33-9	5 - 10	
6-Octen-1-ol, 3,7-dimethyl-	106-22-9	3 - 7	
1,6-Octadien-3-ol, 3,7-dimethyl-	78-70-6	3 - 7	
Cyclohexanol, 2-(1,1-dimethylethyl)-, 1-acetate	88-41-5	1 - 5	
Methylionantheme	1335-46-2	1 - 5	
1,3-Benzodioxole-5-propanal, .alphamethyl-	1205-17-0	0.1 - 1	
3-Cyclohexene-1-carboxaldehyde, 2,4-dimethyl-	68039-49-6	0.1 - 1	
2,6-Octadien-1-ol, 3,7-dimethyl-, (2E)-	106-24-1	0.1 - 1	
Undecanal, 2-methyl-	110-41-8	0.1 - 1	
2,6-Octadien-1-ol, 3,7-dimethyl-, 1-acetate, (2E)-	105-87-3	0.1 - 1	
Cyclohexanepropanoic acid, 2-propen-1-yl ester	2705-87-5	0.1 - 1	

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret is required.

IV. FIRST-AID MEASURES

Inhalation:	Remove to fresh air. If breathing is difficult, have a trained individual administer oxygen.
Eyes:	Immediately flush eyes with plenty of water for at least 20 minutes retracting eyelids often. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Get immediate medical attention and monitor the eye daily as advised by your physician.
Skin Contact:	Wash with soap and water. Get medical attention if irritation develops or persists.
Ingestion:	Do not induce vomiting and seek medical attention immediately. Drink two glasses of water or milk to dilute. Provide medical care provider with this MSDS. Induce vomiting as a last measure. Induced vomiting may lead to aspiration of the material into the lungs potentially causing chemical pneumonitis.
Most important	
symptoms and effects - acute Most important	No Data Available
Most important symptoms and effects - chronic	No Data Available
Notes to Doctor:	No additional first aid information available

NIGHT AIR

V. FIRE FIGHTING MEASURES

Combuctible	
Combustible	

Flammability Summary:	Combustible		
Extinguishing Media:	Use alcohol resistant foam, carbon dioxide, dry chemical, or water		
	spray when fighting fires. Water or foam may cause frothing if liquid		
	is burning but it still may be a useful extinguishing agent if carefully		
	applied to the fire. Do not direct a water stream directly into the hot		
Futie mainting Mardia advised environt	burning liquid.		
Extinguishing Media advised against:	No Data Available		
Fire and/or Explosion Hazards:	Vapors may be ignited by sparks, flames or other sources of ignition if material is above the flash point giving rise to a fire (Class B).		
	Vapors are heavier than air and may travel to a source of ignition and		
	flash back. Combustible Liquid. Can form explosive mixtures at		
	temperatures at or above the flash point.		
	Empty containers that retain product residue (liquid, solid/sludge, or		
	vapor) can be dangerous. Do not pressurize, cut, weld, braze, solder,		
	drill, grind, or expose container to heat, flame, sparks, static		
	electricity, or other sources of ignition. Any of these actions can		
Fine Fighting Mathematica	potentially cause an explosion that may lead to injury or death.		
Fire Fighting Methods and Protection:	Do not enter fire area without proper protection including self- contained breathing apparatus and full protective equipment. Fight		
	fire from a safe distance and a protected location due to the		
	potential of hazardous vapors and decomposition products. Use		
	methods for the surrounding fire.		
	Flammable component(s) of this material may be lighter than water		
	and burn while floating on the surface.		
Hazardous Combustion Products:	Carbon Oxides, Carbon dioxide, Carbon monoxide		
VI. ACCIDENTAL RELEASE MEASURES			
Personal Precautions and Equipment:	No health affects expected from the clean-up of this material if		
	contact can be avoided. Follow personal protective equipment		
Personal Precautions and Equipment:	contact can be avoided. Follow personal protective equipment recommendations found in Section VIII of this MSDS		
	contact can be avoided. Follow personal protective equipment recommendations found in Section VIII of this MSDS No special spill clean-up considerations. Collect and discard in regular		
Personal Precautions and Equipment:	contact can be avoided. Follow personal protective equipment recommendations found in Section VIII of this MSDS		
Personal Precautions and Equipment:	contact can be avoided. Follow personal protective equipment recommendations found in Section VIII of this MSDS No special spill clean-up considerations. Collect and discard in regular		
Personal Precautions and Equipment: Methods for Clean-up:	contact can be avoided. Follow personal protective equipment recommendations found in Section VIII of this MSDS No special spill clean-up considerations. Collect and discard in regular trash. tions: Mildly irritating material. Avoid unnecessary exposure. As		
Personal Precautions and Equipment: Methods for Clean-up: VII. HANDLING AND STORAGE	contact can be avoided. Follow personal protective equipment recommendations found in Section VIII of this MSDS No special spill clean-up considerations. Collect and discard in regular trash. tions: Mildly irritating material. Avoid unnecessary exposure. As with all chemicals, good industrial hygiene practices should		
Personal Precautions and Equipment: Methods for Clean-up: VII. HANDLING AND STORAGE	 contact can be avoided. Follow personal protective equipment recommendations found in Section VIII of this MSDS No special spill clean-up considerations. Collect and discard in regular trash. tions: Mildly irritating material. Avoid unnecessary exposure. As with all chemicals, good industrial hygiene practices should be followed when handling this material. Avoid contact with 		
Personal Precautions and Equipment: Methods for Clean-up: VII. HANDLING AND STORAGE	 contact can be avoided. Follow personal protective equipment recommendations found in Section VIII of this MSDS No special spill clean-up considerations. Collect and discard in regular trash. tions: Mildly irritating material. Avoid unnecessary exposure. As with all chemicals, good industrial hygiene practices should be followed when handling this material. Avoid contact with material, avoid breathing dusts or fumes, use only in a well 		
Personal Precautions and Equipment: Methods for Clean-up: VII. HANDLING AND STORAGE	 contact can be avoided. Follow personal protective equipment recommendations found in Section VIII of this MSDS No special spill clean-up considerations. Collect and discard in regular trash. tions: Mildly irritating material. Avoid unnecessary exposure. As with all chemicals, good industrial hygiene practices should be followed when handling this material. Avoid contact with material, avoid breathing dusts or fumes, use only in a well ventilated area. Do not get in eyes, on skin and clothing Use 		
Personal Precautions and Equipment: Methods for Clean-up: VII. HANDLING AND STORAGE	 contact can be avoided. Follow personal protective equipment recommendations found in Section VIII of this MSDS No special spill clean-up considerations. Collect and discard in regular trash. tions: Mildly irritating material. Avoid unnecessary exposure. As with all chemicals, good industrial hygiene practices should be followed when handling this material. Avoid contact with material, avoid breathing dusts or fumes, use only in a well ventilated area. Do not get in eyes, on skin and clothing Use with adequate ventilation "Empty" containers retain product 		
Personal Precautions and Equipment: Methods for Clean-up: VII. HANDLING AND STORAGE	 contact can be avoided. Follow personal protective equipment recommendations found in Section VIII of this MSDS No special spill clean-up considerations. Collect and discard in regular trash. tions: Mildly irritating material. Avoid unnecessary exposure. As with all chemicals, good industrial hygiene practices should be followed when handling this material. Avoid contact with material, avoid breathing dusts or fumes, use only in a well ventilated area. Do not get in eyes, on skin and clothing Use with adequate ventilation "Empty" containers retain product residue (liquid and/or vapor) and can be dangerous. 		
Personal Precautions and Equipment: Methods for Clean-up: <u>VII. HANDLING AND STORAGE</u> Handling Technical Measures and Precau	 contact can be avoided. Follow personal protective equipment recommendations found in Section VIII of this MSDS No special spill clean-up considerations. Collect and discard in regular trash. tions: Mildly irritating material. Avoid unnecessary exposure. As with all chemicals, good industrial hygiene practices should be followed when handling this material. Avoid contact with material, avoid breathing dusts or fumes, use only in a well ventilated area. Do not get in eyes, on skin and clothing Use with adequate ventilation "Empty" containers retain product residue (liquid and/or vapor) and can be dangerous. ns: Store in a cool dry place. Isolate from incompatible materials. Limit quantity of material stored. Store in a tightly closed 		
Personal Precautions and Equipment: Methods for Clean-up: <u>VII. HANDLING AND STORAGE</u> Handling Technical Measures and Precau	 contact can be avoided. Follow personal protective equipment recommendations found in Section VIII of this MSDS No special spill clean-up considerations. Collect and discard in regular trash. mildly irritating material. Avoid unnecessary exposure. As with all chemicals, good industrial hygiene practices should be followed when handling this material. Avoid contact with material, avoid breathing dusts or fumes, use only in a well ventilated area. Do not get in eyes, on skin and clothing Use with adequate ventilation "Empty" containers retain product residue (liquid and/or vapor) and can be dangerous. ms: Store in a cool dry place. Isolate from incompatible materials. Limit quantity of material stored. Store in a tightly closed container Store in a cool dry place Keep away from heat, 		
Personal Precautions and Equipment: Methods for Clean-up: <u>VII. HANDLING AND STORAGE</u> Handling Technical Measures and Precau	 contact can be avoided. Follow personal protective equipment recommendations found in Section VIII of this MSDS No special spill clean-up considerations. Collect and discard in regular trash. tions: Mildly irritating material. Avoid unnecessary exposure. As with all chemicals, good industrial hygiene practices should be followed when handling this material. Avoid contact with material, avoid breathing dusts or fumes, use only in a well ventilated area. Do not get in eyes, on skin and clothing Use with adequate ventilation "Empty" containers retain product residue (liquid and/or vapor) and can be dangerous. ns: Store in a cool dry place. Isolate from incompatible materials. Limit quantity of material stored. Store in a tightly closed container Store in a cool dry place Keep away from heat, sparks, and flame 		
Personal Precautions and Equipment: Methods for Clean-up: <u>VII. HANDLING AND STORAGE</u> Handling Technical Measures and Precau	 contact can be avoided. Follow personal protective equipment recommendations found in Section VIII of this MSDS No special spill clean-up considerations. Collect and discard in regular trash. tions: Mildly irritating material. Avoid unnecessary exposure. As with all chemicals, good industrial hygiene practices should be followed when handling this material. Avoid contact with material, avoid breathing dusts or fumes, use only in a well ventilated area. Do not get in eyes, on skin and clothing Use with adequate ventilation "Empty" containers retain product residue (liquid and/or vapor) and can be dangerous. ns: Store in a cool dry place. Isolate from incompatible materials. Limit quantity of material stored. Store in a tightly closed container Store in a cool dry place Keep away from heat, sparks, and flame 		

reducing agents

VIII. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Measures:	No exposure limits exist for the constitue might be required to maintain operator of Engineering controls must be designed to in 29 CFR 1910. Engineering controls must concentrations to below levels published using this material should be equipped w	omfort under normal c meet the OSHA chemi t be designed to contro in 29 CFR 1910.1000. F	onditions of use. cal specific standard ol vapor acilities storing or
Respiratory Protection:	No respiratory protection required under room exhaust ventilation if symptoms of A respirator is not normally required. Fol meets 29 CFR 1910.134 and ANSI Z88.2 re conditions warrant the use of a respirator required.	overexposure occur as low a respiratory prote equirements whenever	explained Section III. ction program that work place
Eye Protection:	Wear chemically resistant safety glasses wear additional eye protection such as cl when the possibility exists for eye contact airborne material. Do not wear contact le Wear goggles and a Face shield	nemical splash goggles t with splashing or spra	and/or face shield ying liquid, or
Skin Protection:	Not normally considered a skin hazard. W good personal hygiene and wear a barrie gloves. Wash hands and other exposed a drinking, and when leaving work. Where gloves, a chemical suit, rubber boots, and	r cream and/or impervi reas with mild soap and contact is likely, wear o	ous surgical style I water before eating, chemical resistant
Gloves: Handling Instructions:	No information available As with all chemicals, good industrial hyg handling this material. Avoid contact with use only in a well ventilated area. Do not adequate ventilation "Empty" containers and can be dangerous.	iene practices should b n material, avoid breath get in eyes, on skin and	e followed when ing dusts or fumes, I clothing Use with
Control Parameters: Chemical Name No Data Available	ACGIH TLV-TWA	ACGIH STEL	OSHA PEL

IX. PHYSICAL AND CHEMICAL PROPERTIES

IX. I TI SICAL AND CHEMICALT KOI EKI		
Physical State:	Liquid	
Color:	PALE YELLOW	
Odor:	Comparable to Standard	
Odor Threshold:	ND	
pH:	Not Available	
Initial Boiling Point:	194 º F	
Flash Point:	195 º F	
Evaporation Rate:	Not Available	
Flammability (Solid, Gas):	No Data Available	
Upper Flammable/Explosive Limit:	Not Available	
NIGHT AIR	Page 4 of 7	

Revision Date: 10-16-20

Lower Flammable/Explosive Limit:	Not Available
Vapor Density:	>1
Relative Density (Specific Gravity):	.9733
Solubility in Water:	Soluble in water- No
Octanol/Water Partition Coefficient:	4 4.3 = 3.41 at 20 degree C 3.1 2.93 at 22 °C (72 °F) log Kow = 2.97
Auto-ignition Temperature:	259 º C
Decomposition Temperature:	335
Volatiles, % by weight:	11.36
Bulk Density:	8.12

X. STABILITY AND REACTIVITY

Reactivity: Chemical Stability:	No Data Available Stable under normal conditions.
Possibility of Hazardous Reactions:	No Data Available
Conditions to Avoid:	Temperatures above flash point in combination with sparks, open flames, or other sources of ignition. Contamination Elevated temperatures Heat flame sparks Extremes of temperature direct sunlight open flames
Materials to Avoid/Chemical Incompatibility:	Strong oxidizing agents Oxidizing mineral acids Strong reducing agents
Hazardous Decomposition Products:	Carbon Oxides Carbon dioxide Carbon monoxide

XI. TOXICOLOGICAL INFORMATION

Routes of Entry: Most Important	Skin contact, Eye contact No Data Available	
Symptoms:	s That Change Toxicity:	No chemical interaction known to affect toxicity.
Chemical Interaction	s mai change roxicity.	NO CHEMICAL INTELACTION KNOWN TO ARECT TOXICITY.

Immediate (Acute) Health Effects by Route of Exposure:

Inhalation Irritation:	Can cause respiratory irritation.
Skin Contact:	Can cause minor skin irritation.
Skin Absorption:	No absorption hazard in normal industrial use.
Eye Contact:	Contact with the eyes may cause moderate to severe eye injury. Eye contact may result in tearing and reddening, but not likely to permanently injure eye tissue.
Ingestion Irritation:	Temporary vision impairment (cloudy or blurred vision) is possible. Irritating to mouth, throat, and stomach. Can cause abdominal discomfort, nausea, vomiting and diarrhea. Aspiration of material into the lungs can cause chemical pneumonitis.
Ingestion Toxicity:	Harmful if swallowed.

Lo	ng-Te	rm (Chronia	:) Health Effects:	
~				

Carcinogenicity: Reproductive toxicity:	None of the substances have been shown to cause cancer in long term animal studies. Not a carcinogen according to NTP, IARC, or OSHA. No data available to indicate product or any components present at greater than
Germ cell mutagenicity:	0.1% may cause birth defects. Possible reproductive hazard. No data available to indicate product or any components present at greater than
NIGHT AIR	Page 5 of 7

0.1% is mutagenic or genotoxic.
Upon prolonged and/or repeated exposure, can cause minor respiratory irritation,
dizziness, weakness, fatigue, nausea, and headache.
Upon prolonged or repeated contact, can cause minor skin irritation, defatting, and dermatitis.
Upon prolonged or repeated exposure, no hazard in normal industrial use.

Component Toxicology Data: Chemical Name

No data available

CAS Number LD50/LC50

Has the chemical been classified as a Carcinogen by NTP, IARC or OSHA.

Chemical Name	OSHA Carcinogen	IARC Carcinogen	NTP Carcinogen
No Data Available			

XII. ECOLOGICAL INFORMATION

Overview: Mobility in Soil:	This material is not expected to be harmful to the ecology. No Data Available					
Persistence:	No Data . No Data .					
Bioaccumulation:	No Data					
Other adverse effects	No Data					
Ecotoxicity Data						
Chemical Name	CAS N	lumber		Aquatic ERC50	Aquatic LC50 Fish	
No Data Available			Crustacea	Algae		
XIII. DISPOSAL CONSIDERAT						
Waste Description for Spe Waste Description for Emp Packaging:		Spent or c No Data A		ay be a hazardous wast	e.	
Disposal Methods:		DO NOT DUMP INTO ANY SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER. All disposal practices must be in compliance with all Federal, State/Provincial and local laws and regulations. Regulations may vary in different locations. Waste characterizations and compliance with applicable laws are the sole responsibility of the waste generator. As your supplier, we have no control over the management practices or manufacturing processes of parties handling or using this material. The information presented here pertains only to the product when used as intended, according to this MSDS. For unused and uncontaminated product, the preferred options include sending to a licensed and permitted incinerator or other thermal destruction device.				
NIGHT AIR				Pag	e 6 of 7	

Revision Date: 10-16-20

Revision Date: 10-16-20

Various federal, state or provincial agencies may have specific regulations concerning the transportation, handling, storage, use or disposal of this product which may not be covered in this MSDS. The user shall have to review these regulations to ensure full compliance with all applicable regulations.

XIV. TRANSPORTATION INFORMATION

US DOT Ground Shipping Description:	Not Restricted
IATA Shipping Description:	Not Restricted
IMDG Shipping Description:	Not Restricted

XV. REGULATORY INFORMATION

TSCA Status	All components in this product are on the TSCA Inventory.
California Prop 65	Does not contain any chemicals listed on California Proposition 65.

Chemical Name	CAS #	Regulation	% Range
No 313-listed chemicals in this product		SARA 313	

XVI. OTHER INFORMATION

Revision Date: 10-16-2020 Disclaimer:

Important: While the descriptions, data and information contained herein are presented in good faith and believed to be accurate, it is provided for your guidance only. Because many factors may affect processing or application/use, we recommend that you perform an assessment to determine the suitability of the product for your particular purpose prior to use. Nothing herein should be interpreted as a recommendation to infringe existing patents or violate any laws or regulations. No warranties of any kind, either expressed or implied,

including fitness for a particular purpose are made regarding the product described. We assume NO responsibility for any injuries resulting from misuse or misapplication of this product or that might be sustained because of inhalation, ingestion, absorption or other contact with this product. In no case shall the descriptions, information, or data provided be considered a part of our terms and conditions of sale. Further, the descriptions, data and information furnished hereunder are given gratis. No obligation or liability for the description, data and information given are assumed. All such being given and accepted at your risk.