Revision Date: 09-11-20

#### I. IDENTIFICATION

Product identification used on label

Product Name: SANDALWOOD
Product Identifier: FRSAN
Recommended Use of the Fragrance

Chemical and restrictions on use:

Company: P&J TRADING

1313 CALLE AVANZADO SAN CLEMENTE, CA 92673

**Emergency Phone** 

Number:

EMERGENCY PHONE: (800) 535-5053 INFORMATION PHONE: 888-614-2112

IF SWALLOWED CALL YOUR POISON CONTROL CENTER AT 1-800-222-1222

### II. HAZARD(S) IDENTIFICATION

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

GHS Hazard Symbols:





**GHS Classification:** Skin Corrosion/Irritation Category 2; Serious Eye Damage/Eye Irritation Category 2A; Hazardous to the

aquatic environment - Acute Category 2; Hazardous to the aquatic environment - Chronic Category 2

GHS Signal Word: Warning

**GHS Hazard** Causes skin irritation.; May cause an allergic skin reaction.; Causes serious eye irritation.; Toxic to aquatic

life..; Toxic to aquatic life with long lasting effects.

**GHS Precautions:** 

Safety Precautions: Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the

workplace. Avoid release to the environment. Wear protective gloves/protective clothing/eye

protection/face protection.

First Aid Measures (Response):

IF ON SKIN: Wash with plenty of soap and water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation occurs: Get medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash before reuse. Wash

contaminated clothing before reuse. Collect spillage.

**Disposal:** Dispose of contents/container in accordance with local/regional/national/international regulation for

hazardous wastes.

SANDALWOOD Page 1 of 7

Revision Date: 09-11-20

### III. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS#	%	
Cyclohexanol, 3-(5,5,6-trimethylbicyclo[2.2.1]hept-2-yl)-	3407-42-9	3 - 7	
Ethanone, 1-[4-(1,1-dimethylethyl)-2,6-dimethyl-3,5-dinitrophenyl]-	81-14-1	1 - 5	
Cyclohexanol, 4-(1,1-dimethylethyl)-, 1-acetate	32210-23-4	1 - 5	
Cyclopenta[g]-2-benzopyran, 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethyl-	1222-05-5	1 - 5	
Methylionantheme	1335-46-2	1 - 5	
2-Phenylethanol	60-12-8	1 - 5	
6-Octen-1-ol, 3,7-dimethyl-	106-22-9	1 - 5	
3-Cyclopentene-1-butanol, .alpha.,.beta.,2,2,3-pentamethyl-	65113-99-7	0.5 - 1.5	
2,6-Octadien-1-ol, 3,7-dimethyl-, 1-acetate, (2E)-	105-87-3	0.5 - 1.5	
Octanal, 2-(phenylmethylene)-	101-86-0	0.5 - 1.5	
Acetic acid, phenylmethyl ester	140-11-4	0.5 - 1.5	
1,6-Octadien-3-ol, 3,7-dimethyl-, 3-acetate	115-95-7	0.5 - 1.5	
Acetate sylvestre	61789-42-2	0.5 - 1.5	
2-Propenoic acid, 3-phenyl-, methyl ester	103-26-4	0.1 - 1	
2,6-Octadien-1-ol, 3,7-dimethyl-, (2E)-	106-24-1	0.1 - 1	
2H-1-Benzopyran-2-one	91-64-5	0.1 - 1	

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret is required.

### **IV. FIRST-AID MEASURES**

Inhalation:	Remove to fresh air. If breathing is difficult, have a trained individual administer oxygen.
Eyes:	Immediately flush eyes with plenty of water for at least 20 minutes retracting eyelids often. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Get immediate medical attention and monitor the eye daily as advised by your physician.
Skin Contact:	Wash with soap and water. Get medical attention if irritation develops or persists.
Ingestion:	Do not induce vomiting and seek medical attention immediately. Drink two glasses of water or milk to dilute. Provide medical care provider with this MSDS. Induce vomiting as a last measure. Induced vomiting may lead to aspiration of the material into the lungs potentially causing chemical pneumonitis.
Most important symptoms and effects - acute	No Data Available
Most important symptoms and effects - chronic	No Data Available
Notes to Doctor:	No additional first aid information available

### V. FIRE FIGHTING MEASURES

SANDALWOOD Page 2 of 7

<u>Flammability Summary:</u> Combustible at elevated temperatures

**Extinguishing Media:** Use alcohol resistant foam, carbon dioxide, or dry chemical when

fighting fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the surface of the fire. Do Not direct a stream of water into the hot

Revision Date: 09-11-20

burning liquid.

Extinguishing Media advised against: No Data Available

Fire and/or Explosion Hazards:

Material may be ignited only if preheated to temperatures above the

high flash point, for example in a fire.

Fire Fighting Methods and Protection: Do not enter fire area without proper protection including self-

contained breathing apparatus and full protective equipment. Use

methods for the surrounding fire.

Hazardous Combustion Products: Carbon Oxides, nitrogen oxides (NOx), Carbon dioxide, Carbon

monoxide

### **VI. ACCIDENTAL RELEASE MEASURES**

**Personal Precautions and Equipment:** No health affects expected from the clean-up of this material if

contact can be avoided. Follow personal protective equipment

recommendations found in Section VIII of this MSDS

Methods for Clean-up: No special spill clean-up considerations. Collect and discard in regular

trash.

#### **VII. HANDLING AND STORAGE**

Handling Technical Measures and Precautions: Mildly irritating material. Avoid unnecessary exposure. As

with all chemicals, good industrial hygiene practices should be followed when handling this material. Avoid contact with material, avoid breathing dusts or fumes, use only in a well ventilated area. Do not get in eyes, on skin and clothing Use with adequate ventilation "Empty" containers retain product

residue (liquid and/or vapor) and can be dangerous.

**Storage Technical Measures and Conditions:** Store in a cool dry place. Isolate from incompatible materials.

Limit quantity of material stored. Store in a tightly closed container Store in a cool dry place Keep away from heat,

sparks, and flame

Materials to Avoid/Chemical Incompatibility: Strong oxidizing agents Strong acids Strong bases Oxidizing

mineral acids Strong reducing agents Acids Bases Reducing

agents

#### VIII. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Engineering Measures:** No exposure limits exist for the constituents of this product. General room ventilation

might be required to maintain operator comfort under normal conditions of use. Engineering controls must be designed to meet the OSHA chemical specific standard

in 29 CFR 1910. Engineering controls must be designed to control vapor

concentrations to below levels published in 29 CFR 1910.1000. Facilities storing or using this material should be equipped with an eyewash and safety shower.

**Respiratory Protection:** No respiratory protection required under normal conditions of use. Provide general

room exhaust ventilation if symptoms of overexposure occur as explained Section III.

SANDALWOOD Page 3 of 7

Revision Date: 09-11-20

A respirator is not normally required. Follow a respiratory protection program that meets 29 CFR 1910.134 and ANSI Z88.2 requirements whenever work place conditions warrant the use of a respirator. A supplied air type respiratory will be

**Eye Protection:** required.

Wear chemically resistant safety glasses with side shields when handling this product. Wear additional eye protection such as chemical splash goggles and/or face shield when the possibility exists for eye contact with splashing or spraying liquid, or airborne material. Do not wear contact lenses. Have an eye wash station available.

**Skin Protection:** Wear goggles and a Face shield

Not normally considered a skin hazard. Where use can result in skin contact, practice good personal hygiene and wear a barrier cream and/or impervious surgical style gloves. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work. Where contact is likely, wear chemical resistant gloves, a chemical suit, rubber boots, and chemical safety goggles plus a face shield

Handling Instructions: No information available

As with all chemicals, good industrial hygiene practices should be followed when handling this material. Avoid contact with material, avoid breathing dusts or fumes, use only in a well ventilated area. Do not get in eyes, on skin and clothing Use with adequate ventilation "Empty" containers retain product residue (liquid and/or vapor)

and can be dangerous.

**Control Parameters:** 

Gloves:

Chemical Name ACGIH TLV-TWA ACGIH STEL OSHA PEL
No Data Available

#### IX. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid

**Color:** Very pale yellow

**Odor:** Comparable to Standard

Odor Threshold: ND

pH: Not Available
Initial Boiling Point: 576 ° F
Flash Point: > 200 ° F
Evaporation Rate: Not Available
Flammability (Solid, Gas): No Data Available
Upper Flammable/Explosive Limit: Not Available
Lower Flammable/Explosive Limit: Not Available

Vapor Density: > 1
Relative Density (Specific Gravity): 0.9426

**Solubility in Water:** Soluble in water- No

Octanol/Water Partition Coefficient: 8.94 at 25 °C 4.3 4.02 5.3 = 3.41 at 20 degree C 4.686

Volatiles, % by weight: 2.44 Bulk Density: 7.869

#### X. STABILITY AND REACTIVITY

**Reactivity:** No Data Available

**Chemical Stability:** Stable under normal conditions.

Possibility of Hazardous Reactions: No Data Available

SANDALWOOD Page 4 of 7

Revision Date: 09-11-20

**Conditions to Avoid:**Temperatures above the high flash point of this combustible

material in combination with sparks, open flames, or other sources of ignition. Direct sources of heat. Heat sparks open

flames Contamination Elevated temperatures

Materials to Avoid/Chemical Incompatibility: Strong oxidizing agents Strong acids Strong bases Oxidizing

mineral acids Strong reducing agents Acids Bases Reducing

agents

Hazardous Decomposition Products: Carbon Oxides nitrogen oxides (NOx) Carbon dioxide Carbon

monoxide

#### XI. TOXICOLOGICAL INFORMATION

**Routes of Entry:** Skin contact, Eye contact **Most Important** No Data Available

Symptoms:

Chemical Interactions That Change Toxicity: None Known

Immediate (Acute) Health Effects by Route of Exposure:

**Inhalation Irritation:** Can cause respiratory irritation. **Skin Contact:** Can cause minor skin irritation.

**Skin Absorption:** No absorption hazard in normal industrial use.

**Eye Contact:** Contact with the eyes may cause moderate to severe eye injury. Eye contact may

result in tearing and reddening, but not likely to permanently injure eye tissue.

Temporary vision impairment (cloudy or blurred vision) is possible.

**Ingestion Irritation:** Irritating to mouth, throat, and stomach. Can cause abdominal discomfort, nausea,

vomiting and diarrhea. Aspiration of material into the lungs can cause chemical

pneumonitis.

**Ingestion Toxicity:** Harmful if swallowed.

Long-Term (Chronic) Health Effects:

**Carcinogenicity:**None of the substances have been shown to cause cancer in long term animal

studies. Not a carcinogen according to NTP, IARC, or OSHA.

**Reproductive toxicity:**No data available to indicate product or any components present at greater than

0.1% may cause birth defects. Possible reproductive hazard.

**Germ cell mutagenicity:**No data available to indicate product or any components present at greater than

0.1% is mutagenic or genotoxic.

**Inhalation:** Upon prolonged and/or repeated exposure, can cause minor respiratory irritation,

dizziness, weakness, fatique, nausea, and headache.

**Skin Contact:** Upon prolonged or repeated contact, can cause minor skin irritation, defatting, and

dermatitis.

**Skin Absorption:** Upon prolonged or repeated exposure, no hazard in normal industrial use.

Component Toxicology Data:

Chemical Name CAS Number LD50/LC50

No data available

SANDALWOOD Page 5 of 7

Has the chemical been classified as a Carcinogen by NTP, IARC or OSHA.

Revision Date: 09-11-20

Chemical Name	OSHA Carcinogen	IARC Carcinogen	NTP Carcinogen
No Data Available			

#### XII. ECOLOGICAL INFORMATION

**Overview:** This material is not expected to be harmful to the ecology.

Mobility in Soil:No Data AvailablePersistence:No Data AvailableBioaccumulation:No Data AvailableOther adverse effectsNo Data Available

**Ecotoxicity Data** 

Chemical Name CAS Number Aquatic EC50 Aquatic ERC50 Aquatic LC50 Fish

Crustacea Algae

No Data Available

#### XIII. DISPOSAL CONSIDERATIONS

Waste Description for Spent Product:

Waste Description for Empty

Packaging:

Spent or discarded material is not expected to be a hazardous waste.

No Data Available

**Disposal Methods**: DO NOT DUMP INTO ANY SEWERS, ON THE GROUND, OR INTO ANY

BODY OF WATER. All disposal practices must be in compliance with all Federal, State/Provincial and local laws and regulations. Regulations

may vary in different locations. Waste characterizations and

compliance with applicable laws are the sole responsibility of the waste generator. As your supplier, we have no control over the management practices or manufacturing processes of parties handling or using this material. The information presented here pertains only to the product when used as intended, according to this MSDS. For unused and uncontaminated product, the preferred options include sending to a licensed and permitted incinerator or other thermal destruction device.

Various federal, state or provincial agencies may have specific regulations concerning the transportation, handling, storage, use or disposal of this product which may not be covered in this MSDS. The user shall have to review these regulations to ensure full compliance

with all applicable regulations.

#### XIV. TRANSPORTATION INFORMATION

US DOT Ground Shipping Description:

IATA Shipping Description:

IMDG Shipping Description:

Not Restricted

Not Restricted

#### XV. REGULATORY INFORMATION

SANDALWOOD Page 6 of 7

Revision Date: 09-11-20

**TSCA Status** All components in this product are on the TSCA Inventory.

**California Prop 65** Does not contain any chemicals listed on California Proposition 65.

Chemical Name CAS # Regulation % Range

No 313-listed chemicals in this product SARA 313

#### **XVI. OTHER INFORMATION**

**Revision Date:** 

09-11-2020

Disclaimer:

Important: While the descriptions, data and information contained herein are presented in good faith and believed to be accurate, it is provided for your guidance only. Because many factors may affect processing or application/use, we recommend that you perform an assessment to determine the suitability of the product for your particular purpose prior to use. Nothing herein should be interpreted as a recommendation to infringe existing patents or violate any laws or regulations. No warranties of any kind, either expressed or implied, including fitness for a particular purpose are made regarding the product described. We assume NO responsibility for any injuries resulting from misuse or misapplication of this product or that might be sustained because of inhalation, ingestion, absorption or other contact with this product. In no case shall the descriptions, information, or data provided be considered a part of our terms and conditions of sale. Further, the descriptions, data and information furnished hereunder are given gratis. No obligation or liability for the description, data and information given are assumed. All such being given and accepted at your risk.

SANDALWOOD Page 7 of 7