Revision Date: 06-02-20

I. IDENTIFICATION

Product identification used on label	
Product Name:	WOODBINE
Product Identifier:	FRWOO
Recommended Use of the	
Chemical and restrictions on use:	Fragrance

Company:P&J TRADING
1313 CALLE AVANZADO
SAN CLEMENTE, CA 92673Emergency PhoneEMERGENCY PHONE: (800) 535-5053
INFORMATION PHONE: 888-614-2112

IF SWALLOWED CALL YOUR POISON CONTROL CENTER AT 1-800-222-1222

II. HAZARD(S) IDENTIFICATION

Classification of the ch GHS Hazard Symbols:	emical in accordance with paragraph (d) of §1910.1200;
GHS Classification:	Skin Corrosion/Irritation Category 2; Serious Eye Damage/Eye Irritation Category 2A; Reproductive Toxicity Category 2; Hazardous to the aquatic environment - Acute Category 2; Hazardous to the aquatic environment - Chronic Category 3
GHS Signal Word:	Warning
GHS Hazard	Causes skin irritation.; May cause an allergic skin reaction.; Causes serious eye irritation.; Suspected of damaging fertility or the unborn child.; Toxic to aquatic life; Harmful to aquatic life with long lasting effects.
GHS Precautions:	
Safety Precautions:	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection. Use personal protective equipment as required.
First Aid Measures (Response):	IF ON SKIN: Wash with plenty of soap and water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical advice/attention. Specific treatment (see on this label). If skin irritation occurs: Get medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation
HONEYSUCKLE	Page 1 of 10

Revision Date: 06-02-20

 persists: Get medical advice/attention. Take off contaminated clothing and wash before reuse. Wash contaminated clothing before reuse.

 Storage:
 Store locked up.

 Disposal:
 Dispose of contents/container in accordance with local/regional/national/international regulation for hazardous wastes.

III. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS #	%	
Benzoic acid, 2-hydroxy-, phenylmethyl ester	118-58-1	10 - 30	
Octanal, 2-(phenylmethylene)-	101-86-0	10 - 30	
2-Phenylethanol	60-12-8	7 - 15	
Acetic acid, phenylmethyl ester	140-11-4	7 - 15	
1,6-Octadien-3-ol, 3,7-dimethyl-	78-70-6	5 - 10	
3-Cyclohexene-1-methanol, .alpha.,.alpha.,4-trimethyl-	98-55-5	5 - 10	
Octanal, 7-hydroxy-3,7-dimethyl-	107-75-5	1 - 5	
Benzenepropanal, .alphamethyl-4-(1-methylethyl)-	103-95-7	1 - 5	
Benzene, (2,2-dimethoxyethyl)-	101-48-4	0.5 - 1.5	
Benzenemethanol, .alphamethyl-, 1-acetate	93-92-5	0.5 - 1.5	
Benzeneacetaldehyde	122-78-1	0.1 - 1	
Benzene, 1-methoxy-4-methyl-	104-93-8	0.1 - 1	

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret is required.

IV. FIRST-AID MEASURES

Inhalation:	Remove to fresh air. If breathing is difficult, have a trained individual administer
Eyes:	oxygen. Immediately flush eyes with plenty of water for at least 20 minutes retracting eyelids often. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Get immediate medical attention and monitor the eye daily as advised by your physician.
Skin Contact:	Wash with soap and water. Get medical attention if irritation develops or persists.
Ingestion:	Do not induce vomiting and seek medical attention immediately. Drink two glasses of water or milk to dilute. Provide medical care provider with this MSDS. Induce vomiting as a last measure. Induced vomiting may lead to aspiration of the material into the lungs potentially causing chemical pneumonitis.
Most important	
symptoms and effects - acute	No Data Available
Most important	
symptoms and effects - chronic	No Data Available
Notes to Doctor:	No additional first aid information available
	2

V. FIRE FIGHTING MEASURES

Flammability Summary: WOODBINE

Combustible at elevated temperatures

Revision Date: 06-02-20 tant foam, carbon dioxide, dry chemical, or water ing fires. Water or foam may cause frothing if liquid still may be a useful extinguishing agent if carefully e. Do not direct a water stream directly into the hot e gnited by sparks, flames or other sources of ignition ve the flash point giving rise to a fire (Class B). er than air and may travel to a source of ignition and bustible Liquid. Can form explosive mixtures at or above the flash point. s that retain product residue (liquid, solid/sludge, or ngerous. Do not pressurize, cut, weld, braze, solder, bose container to heat, flame, sparks, static her sources of ignition. Any of these actions can e an explosion that may lead to injury or death. e area without proper protection including self- ning apparatus and full protective equipment. Fight distance and a protected location due to the ardous vapors and decomposition products. Use surrounding fire.	
pose container to heat, flame, sparks, static her sources of ignition. Any of these actions can e an explosion that may lead to injury or death. e area without proper protection including self- hing apparatus and full protective equipment. Fight distance and a protected location due to the ardous vapors and decomposition products. Use	
Carbon dioxide, Carbon monoxide	
expected from the clean-up of this material if	
No health affects expected from the clean-up of this material if contact can be avoided. Follow personal protective equipment recommendations found in Section VIII of this MSDS No special spill clean-up considerations. Collect and discard in regular trash.	
ritating material. Avoid unnecessary exposure. As chemicals, good industrial hygiene practices should ved when handling this material. Avoid contact with , avoid breathing dusts or fumes, use only in a well ed area. Do not get in eyes, on skin and clothing Use quate ventilation "Empty" containers retain product (liquid and/or vapor) and can be dangerous.	
a cool dry place. Isolate from incompatible materials. antity of material stored. Store in a tightly closed r Store in a cool dry place Keep away from heat, nd flame xidizing agents Strong bases Acids Bases Reducing	

VIII. EXPOSURE CONTROLS/PERSONAL PROTECTION

No exposure limits exist for the constituents of this product. General room ventilation **Engineering Measures:** might be required to maintain operator comfort under normal conditions of use. WOODBINE

Page 3 of 10

Revision Date: 06-02-20

	Engineering controls must be designed to meet the OSHA chemical specific standard in 29 CFR 1910. Engineering controls must be designed to control vapor concentrations to below levels published in 29 CFR 1910.1000. Facilities storing or using this material should be equipped with an eyewash and safety shower.
Respiratory Protection:	No respiratory protection required under normal conditions of use. Provide general room exhaust ventilation if symptoms of overexposure occur as explained Section III. A respirator is not normally required. Follow a respiratory protection program that meets 29 CFR 1910.134 and ANSI Z88.2 requirements whenever work place conditions warrant the use of a respirator. A supplied air type respiratory will be required.
Eye Protection:	Wear chemically resistant safety glasses with side shields when handling this product. Wear additional eye protection such as chemical splash goggles and/or face shield when the possibility exists for eye contact with splashing or spraying liquid, or airborne material. Do not wear contact lenses. Have an eye wash station available. Wear goggles and a Face shield
Skin Protection:	Not normally considered a skin hazard. Where use can result in skin contact, practice good personal hygiene and wear a barrier cream and/or impervious surgical style gloves. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work. Where contact is likely, wear chemical resistant gloves, a chemical suit, rubber boots, and chemical safety goggles plus a face shield
Gloves:	No information available
Handling Instructions:	As with all chemicals, good industrial hygiene practices should be followed when handling this material. Avoid contact with material, avoid breathing dusts or fumes, use only in a well ventilated area. Do not get in eyes, on skin and clothing Use with adequate ventilation "Empty" containers retain product residue (liquid and/or vapor) and can be dangerous.
• · · • •	

Control Parameters:			
Chemical Name	ACGIH TLV-TWA	ACGIH STEL	OSHA PEL
No Data Available	No TLV		No PEL established

IX. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Liquid
Color:	Very pale yellow
Odor:	Comparable to Standard
Odor Threshold:	ND
pH:	Not Available
Melting Point/Freezing Point:	-60 º F
Initial Boiling Point:	334 - 338 º F
Flash Point:	200 º F
Evaporation Rate:	Not Available
Flammability (Solid, Gas):	No Data Available
Upper Flammable/Explosive Limit:	Not Available
Lower Flammable/Explosive Limit:	Not Available
Vapor Density:	>1
Relative Density:	1
Solubility in Water:	Soluble in water- No

WOODBINE

Revision Date: 06-02-20

Octanol/Water Partition Coefficient: Decomposition Temperature: Volatiles, % by weight: Volatiles, % by weight: Bulk Density: 4 4.686 3.1 8.94 at 25 °C log Kow = 2.98 335 15.19 15.19 23.875

X. STABILITY AND REACTIVITY

Reactivity:	No Data Available
Chemical Stability:	Stable under normal conditions.
Possibility of Hazardous Reactions:	No Data Available
Conditions to Avoid:	Temperatures above flash point in combination with sparks,
	open flames, or other sources of ignition. Contamination
	Elevated temperatures Heat flame sparks Extremes of
	temperature direct sunlight
Materials to Avoid/Chemical Incompatibility:	Strong oxidizing agents Strong bases Acids Bases Reducing
	agents
Hazardous Decomposition Products:	Carbon Oxides Carbon dioxide Carbon monoxide

XI. TOXICOLOGICAL INFORMATION

Routes of Entry: Most Important	Skin contact, Eye contact No Data Available	
Symptoms: Chemical Interactions	S That Change Toxicity:	No chemical interaction known to affect toxicity.

Immediate (Acute) Health Effects by Route of Exposure:

Inhalation Irritation:	Can cause respiratory irritation.
Skin Contact:	Can cause minor skin irritation.
Skin Absorption:	No absorption hazard in normal industrial use.
Eye Contact:	Contact with the eyes may cause moderate to severe eye injury. Eye contact may result in tearing and reddening, but not likely to permanently injure eye tissue. Temporary vision impairment (cloudy or blurred vision) is possible.
Ingestion Irritation:	Irritating to mouth, throat, and stomach. Can cause abdominal discomfort, nausea, vomiting and diarrhea. Aspiration of material into the lungs can cause chemical pneumonitis.
Ingestion Toxicity:	Harmful if swallowed.

Long-Term (Chronic) Health Effects:

Carcinogenicity:	None of the substances have been shown to cause cancer in long term animal
	studies. Not a carcinogen according to NTP, IARC, or OSHA.
Reproductive toxicity:	No data available to indicate product or any components present at greater than
Corm coll mutagonicity	0.1% may cause birth defects. Possible reproductive hazard.
Germ cell mutagenicity:	No data available to indicate product or any components present at greater than
Inhalation:	0.1% is mutagenic or genotoxic.
Skin Contact: WOODBINE	Upon prolonged and/or repeated exposure, can cause minor respiratory irritation, dizziness, weakness, fatigue, nausea, and headache. Upon prolonged or repeated contact, can cause minor skin irritation, defatting, and

dermatitis.

Revision Date: 06-02-20

Skin Absorption:

Upon prolonged or repeated exposure, no hazard in normal industrial use.

Component Toxicology Data: Chemical Name

CHEILIC	
No data	available

CAS Number 118-58-1 101-86-0 60-12-8 140-11-4	LD50/LC50
78-70-6 103-23-1 98-55-5 107-75-5 8008-57-9	
103-95-7 101-48-4 93-92-5 122-78-1	
84-66-2 119-36-8 25265-71-8 93-58-3	
928-96-1 3681-71-8 93-08-3 104-93-8	
68606-94-0 104-61-0 1222-05-5 103-37-7	
119-53-9 97-54-1 8006-81-3 122-40-7 93-89-0	
120-57-0 120-72-9 121-33-5 105-87-3 115-95-7 505-32-8 8000-68-6	
127-41-3	

WOODBINE

Revision Date: 06-02-20

106-24-1 89-43-0 134-20-3 68606-83-7 95-41-0 1128-08-1 106-44-5 104-67-6 140-39-6

Has the chemical been classified as a Carcinogen by NTP, IARC or OSHA.

Chemical Name	OSHA Carcinogen	IARC Carcinogen	NTP Carcinogen
No Data Available			

XII. ECOLOGICAL INFORMATION

Overview:	This material is not expected to be harmful to the ecology.			
Mobility in Soil:	No Data Available		0,5	
Persistence:	No Data Available			
Bioaccumulation:	No Data Available			
Other adverse effects	No Data Available			
Ecotoxicity Data				
Chemical Name	CAS Number	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish
No Data Available	118-58-1		Ū	
	101-86-0			
	60-12-8			
	140-11-4			
	78-70-6			
	103-23-1			
	98-55-5			
	107-75-5			
	8008-57-9			
	103-95-7			
	101-48-4			
	93-92-5			
	122-78-1			
	84-66-2			
	119-36-8			
	25265-71-8			
	93-58-3			
	928-96-1			
	3681-71-8			
	93-08-3			
	104-93-8			
	68606-94-0			
WOODBINE			Pag	e 7 of 10

Revision Date: 06-02-20

104-61-0 1222-05-5 103-37-7 119-53-9 97-54-1 8006-81-3 122-40-7 93-89-0 120-57-0 120-72-9 121-33-5 105-87-3 115-95-7 505-32-8 8000-68-6 127-41-3 106-24-1 89-43-0 134-20-3 68606-83-7 95-41-0 1128-08-1 106-44-5 104-67-6 140-39-6

XIII. DISPOSAL CONSIDERATIONS

Waste Description for Spent Product: Waste Description for Empty Packaging:	Spent or discarded material is not expected to be a hazardous waste. No Data Available
Disposal Methods:	DO NOT DUMP INTO ANY SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER. All disposal practices must be in compliance with all Federal, State/Provincial and local laws and regulations. Regulations may vary in different locations. Waste characterizations and compliance with applicable laws are the sole responsibility of the waste generator. As your supplier, we have no control over the management practices or manufacturing processes of parties handling or using this material. The information presented here pertains only to the product when used as intended, according to this MSDS. For unused and uncontaminated product, the preferred options include sending to a licensed and permitted incinerator or other thermal destruction device. Various federal, state or provincial agencies may have specific regulations concerning the transportation, handling, storage, use or disposal of this product which may not be covered in this MSDS. The user shall have to review these regulations to ensure full compliance with all applicable regulations.

WOODBINE

XIV. TRANSPORTATION INFORMATION

US DOT Ground Shipping Description:	Not Restricted
IATA Shipping Description:	Not Restricted
IMDG Shipping Description:	Not Restricted

XV. REGULATORY INFORMATION

TSCA Status All components in this product are on the TSCA Inventory.

Chemical Name No 313-listed chemicals in this product	CAS # $118-58-1$ $101-86-0$ $60-12-8$ $140-11-4$ $78-70-6$ $103-23-1$ $98-55-5$ $107-75-5$ $8008-57-9$ $103-95-7$ $101-48-4$ $93-92-5$ $122-78-1$ $84-66-2$ $119-36-8$ $25265-71-8$ $93-58-3$ $928-96-1$ $3681-71-8$ $93-08-3$ $104-93-8$ $68606-94-0$ $104-61-0$ $1222-05-5$ $103-37-7$ $119-53-9$ $97-54-1$ $8006-81-3$ $122-40-7$ $93-89-0$ $120-57-0$ $120-72-9$ $121-33-5$ $105-87-3$ $115-95-7$ $505-32-8$ $8000-68-6$ $127-41-3$	Regulation SARA 313	% Range 10 - 30 7 - 15 5 - 10 1 - 5 0.5 - 1.5 0.1 - 1 0.01 - 0.1 0.001 - 0.01	
WOODBINE			Page 9 of 10	

Revision Date: 06-02-20

106-24-1 89-43-0 134-20-3 68606-83-7 95-41-0 1128-08-1 106-44-5 104-67-6 140-39-6

XVI. OTHER INFORMATION

Revision Date: 06-02-2020 Disclaimer:

Important: While the descriptions, data and information contained herein are presented in good faith and believed to be accurate, it is provided for your guidance only. Because many factors may affect processing or application/use, we recommend that you perform an assessment to determine the suitability of the product for your particular purpose prior to use. Nothing herein should be interpreted as a recommendation to infringe existing patents or violate any laws or regulations. No warranties of any kind, either expressed or implied, including fitness for a particular purpose are made regarding the product described. We assume NO responsibility for any injuries resulting from misuse or misapplication of this product or that might be sustained because of inhalation, ingestion, absorption or other contact with this product. In no case shall the descriptions, information, or data provided be considered a part of our terms and conditions of sale. Further, the descriptions, data and information furnished hereunder are given gratis. No obligation or liability for the description, data and information given are assumed. All such being given and accepted at your risk.